

Lanarkshire ES audits

Contents

Version 9, 11/03/2010 - All lines in the audit are looking for the latest entry in the last QOF year. Clinical category **Lanarkshire ES - ES Reporting;**

LANARKSHIRE ES AUDITS	1
Adults with Learning Disabilities	4
All patients with learning disability	4
Liaison with LD services in the last 12m	4
Appropriate screening and chronic disease management	4
Smoking status	4
Smoking cessation in last 12m	5
Alcohol consumption in last 12m	6
Alcohol advice in last 12m	6
Dietary habits in last 12m	6
Dietary advice in last 12m	7
Physical exercise in last 12m	7
Exercise advice in last 12m	7
Blood pressure reading in last 12m	7
BMI recorded in last 12m	7
Cervical cytology status in last 12m	7
Specific assessment of communication difficulties and sensory problems (hearing and vision)	8
Severity of learning disability recorded in last 12m	8
Living arrangements in last 12m	9
Speech problems recorded in last 12m	9
Assessment of communication skills recorded in last 12m	9
Visual impairments recorded in last 12m	9
Hearing impairments recorded in last 12m	9
Difficulty in swallowing in last 12m	10
Gastro-oesophageal reflux disease in last 12m	10
Feeding problems in last 12m	10
Incontinence in last 12m	10
Behavioural problems or other mental illness in last 12m	10
Reduced mobility in last 12m	12
Osteoporosis	12
ALD patients with Down's, Tuberous sclerosis, Fragile X syndrome or Autism	12
Downs syndrome	12
Tuberous sclerosis	13
Fragile X syndrome	13
Autism	13
ALD patients with a diagnosis of other causes	14
Birth Trauma	14
Meningitis	14
Head Injury	14
Brain Tumour	14

Encephalitis	14
Congenital hydrocephalus	15
Microcephalus	15
Phenylketonuria	15
Prader-Willi Syndrome	15
Smith-Magenis Syndrome	15
Rett Syndrome	15
Congenital Rubella	15
Unknown or unspecified cause	15
ALD patients with Downs syndrome and a thyroid function test in last 12m	16
ALD patients with tuberous sclerosis and had BP taken and renal function tested in last 12m	16
Alcohol	17
Patients recorded as teetotal	17
Alcohol use	17
Existing issue	17
Patients screened using FAST or AUDIT C	17
Brief interventions	17
Anti-coagulation	19
All patients on Warfarin therapy in the last 12 months	19
All patients with relevant diagnosis and warfarin in past 12 months	19
Relevant Diagnosis	19
Warfarin monitoring	21
Target INR	21
Seen in Clinic	21
Care homes	22
All patients admitted to care homes in the last 12 months	22
Admission examination within 7 days of admission to care home	22
Influenza Vaccination	22
Pneumococcal Vaccination	22
Anticipatory care plan	23
Carers	23
Carer codes	23
Is no longer a carer	23
COPD ES	24
Patients on COPD register	24
Diagnosis of COPD	24
COPD Severity	24
Mild COPD	24
Moderate and severe COPD	25
Diabetic ES	26
Patients on diabetic register	26
Patients with Type 2 diabetes	26
Ethnicity and Interpreter Needs	29
All patients with ethnicity recorded	29
All patients with interpreter needs required	29
IUCD	30
IUCD fitting in last 12 months (excluding any fittings removed)	30
IUCD fitting removed in last 12m	30

IUCD fitted and who had a chlamydia screening in last 12m	30
IUCD fitted and who had an IUCD check or review in last 12m	31
IUCD fitted and who had complications in last 12m	31
Minor Injuries	32
All patients treated for minor injuries treated in the practice in the last 12 months	32
Minor Surgery	37
Patients with injections and invasive procedures in practice in last 12m	37
Minor Surgery Procedure	37
Minor Surgery Procedure complete	38
Sutures	38
Steroid Injection Site	38
Patients with consent for injections and invasive procedures in last 12m	39
Histology sent	39
Near Patient Testing	39
Osteoporosis	40

Adults with Learning Disabilities

All patients with learning disability

Patients aged 16 and over with learning disabilities (Adults with Learning disabilities ALD)

E3% Mental retardation

Eu7.. [X]Mental retardation

Eu70% [X]Mild mental retardation

Eu71% [X]Moderate mental retardation

Eu72% [X]Severe mental retardation

Eu73% [X]Profound mental retardation

Eu7y% [X]Other mental retardation

Eu7z% [X]Unspecified mental retardation

Eu81z [X]Developmental disorder of scholastic skills, unspecified

918e. On learning disability register

For the following, one diagnosis is required; more may be recorded

Liaison with LD services in the last 12m

For each ALD patient, evidence that liaison with LD services has or has NOT taken place in the last 12m:

9HB3. Learning disab health assessmt

Appropriate screening and chronic disease management

All patients with ALD who have had (not had) appropriate screening and chronic disease management needs undertaken (including, but not limited to, general health screening as appropriate including:

Smoking status

137.. Tobacco consumption

1371. Never smoked tobacco

1372. Trivial smoker - < 1 cig/day

1373. Light smoker - 1-9 cigs/day

1374. Moderate smoker - 10-19 cigs/d

- 1375. Heavy smoker - 20-39 cigs/day
- 1376. Very heavy smoker - 40+cigs/d
- 1377. Ex-trivial smoker (<1/day)
- 1378. Ex-light smoker (1-9/day)
- 1379. Ex-moderate smoker (10-19/day)
- 137A. Ex-heavy smoker (20-39/day)
- 137B. Ex-very heavy smoker (40+/day)
- 137C. Keeps trying to stop smoking
- 137D. Admitted tobacco cons untrue ?
- 137F. Ex-smoker - amount unknown
- 137G. Trying to give up smoking
- 137H. Pipe smoker
- 137J. Cigar smoker
- 137K. Stopped smoking
- 137L. Current non-smoker
- 137M. Rolls own cigarettes
- 137N. Ex pipe smoker
- 137O. Ex cigar smoker
- 137P. Cigarette smoker
- 137Q. Smoking started
- 137R. Current smoker
- 137S. Ex smoker
- 137T. Date ceased smoking
- 137V. Smoking reduced
- 137X. Cigarette consumption
- 137Y. Cigar consumption
- 137Z. Tobacco consumption NOS
- 137a. Pipe tobacco consumption
- 137b. Ready to stop smoking
- 137c. Thinking about stopping smoking
- 137d. Not interested in stopping smoking
- 137e. Smoking restarted
- 137f. Reason for restarting smoking
- 137g. Cigarette pack-years
- 137h. Minutes from waking to first tobacco consumption

Smoking cessation in last 12m

- 6791. Health ed. - smoking

67A3. Pregnancy smoking advice
8B2B. Nicotine replacement therapy
8CAL. Smoking cessation advice
8HTK. Referral to stop-smoking clinic
13p% Smoking cessation milestones
900% Anti-smoking monitoring admin.
9N4M. DNA - Did not attend smoking cessation clinic
9N2k. Seen by smoking cessation advisor
8H7i. Referral to smoking cessation advisor
67H1. Lifestyle advice regarding smoking
8B3Y. Over the counter nicotine replacement therapy
8B3f. Nicotine replacement therapy provided free
745H. Smoking cessation therapy
745H0 Nicotine replacement therapy using nicotine patches
745H1 Nicotine replacement therapy using nicotine gum
745H2 Nicotine replacement therapy using nicotine inhalator
745H3 Nicotine replacement therapy using nicotine lozenges
745Hy Other specified smoking cessation therapy
745Hz Smoking cessation therapy NOS

Alcohol consumption in last 12m

136L. Alcohol intake within rec limit
136K. Alcohol intake above rec limit
136M. Current non drinker
1367. Stopped drinking alcohol
1361. Teetotaller

Alcohol advice in last 12m

6792. Health ed-alcohol
67H0. Lifestyle adv re alcohol
8CE1. Alcohol leaflet given
8CAM. Patient advised about alcohol

Dietary habits in last 12m

13A1.-13B. Diet types

Dietary advice in last 12m

6799. Health ed - diet
8CA4. Patient advised re diet
8CA40 Pt advised re weight reducing diet
8CA4% Advice re: specific diets
8CE4. Diet leaflet given.

Physical exercise in last 12m

1381. Exercise physically impossible
1382. Avoids even trivial exercise
1383. Enjoys light exercise
1384. Enjoys moderate exercise
1385. Enjoys heavy exercise
1386. Competitive athlete
138% Exercise codes

Exercise advice in last 12m

6798. Health ed - Exercise
67H2. Lifestyle adv re exercise
8CA5. Patient advised re exercise

Blood pressure reading in last 12m

246% (except 246O., 246H., 246I., 246K., 246L., 246M.) O/E - blood pressure reading

BMI recorded in last 12m

In Height/Weight SDA:
22K% BMI codes

Cervical cytology status in last 12m

4K22% Cervical smear negative
4K2C. Smear NAD - no endocervic cells
4KA1. Vaginal vault smear negative
4KA3. Vaginal vault smear-atrophic
4KA4. Vaginal vault smear abnormal
6856. Ca cervix screen - up to date
6859. Ca cervix screen normal

685R. Liquid based cerv cytol screen
685B% Ca cervix screen normal
7E2A2 Papanicolau smear NEC
7E2A3 Vaginal vault smear
ZV862 [V]Cervix malignancy screening
7E2A0 Exam fem gen tract UA & smear

(excluding all cervical smear exceptions)

6853. Ca Cervix screen - not wanted
685L. Cervical smear refused
8I6K. Cervical smear not indicated
908Q. Cerv. Smear disclaimer received
908S. Cervical smear defaulter
685H. No smear - benign hysterectomy
685I. No smear - amputation of cervix
685K. no smear - no cervix
908Y. No cerv smear requ - no uterus
7E05.% Vaginal excision of uterus
7E040 Abd hystercolpec inc periut ts
7E042 Abdominal hysterocolpect NEC
7E043 Total abdominal hysterect NEC
7E046 Radical hysterectomy
7E049 TAH and BSO
7E04B Laparoscopic TAH and BSO
7L0A% Clearance of pelvis

Specific assessment of communication difficulties and sensory problems (hearing and vision)

Severity of learning disability recorded in last 12m

Eu70. [X] Mild mental retardation
Eu71. [X] Moderate mental retardation
Eu72. [X]Severe mental retardation
Eu73. [X] Profound mental retardation
Eu7y% [X]Other mental retardation
Eu7z% [X]Unspecified mental retardation

Living arrangements in last 12m

- 13F2. Lives alone - help available
- 13F3. Lives alone - no help available
- 13F61 Lives in a nursing home
- 13F71 Lives in a welfare home
- 13F73 Lives in a childrens home
- 13FH. Lives with relatives
- 13FK. Lives in a residential home
- 13FX. Lives in care home

Speech problems recorded in last 12m

- 1B91. No speech problem
- 1B92. Has a stammer / stutter
- 1B93. Has difficulty with speech
- 1B94. Speech limited

Assessment of communication skills recorded in last 12m

- 13o.. Communication skills

Visual impairments recorded in last 12m

- 3123. Visual testing normal
- 668B. Poor visual acuity
- F48% Visual disturbances
- F49% Blindness and low vision
- 1B72. Diplopia / double vision
- 1B73. Flashing lights seen
- 1B74. Floaters seen
- 1B75. Loss of vision
- 1B76. Temporary visual disturbance
- 1B77. Deteriorating vision
- 1B78. Scotopic sensitivity
- 1B79. Visual perceptual weakness
- 1B7A. Patient concern about eyesight.
- 1B7Z. Visual symptom NOS

Hearing impairments recorded in last 12m

- 3133. Auditory/vestib. Test normal

1C12. Hearing difficulty
1C13. Deafness
F59% Hearing loss

Difficulty in swallowing in last 12m

1942. Difficulty swallowing solids
1943. Difficulty swallowing liquids
R0720 [D] Difficulty in swallowing

Gastro-oesophageal reflux disease in last 12m

J1011 Reflux oesophagitis
J10y4 Oesoph reflux no oesophagitis
1857. Gastric reflux

Feeding problems in last 12m

1634. Feeding problem due to illness
163Z. Feeding problem NOS
R033. [D]Feeding difficulties

Incontinence in last 12m

1A23. Incontinence of urine
19E3. Incontinent of faeces
16F.. Double incontinence

Constipation

19C2. Constipated
19CZ. Constipation NOS
J520% Constipation - functional

Behavioural problems or other mental illness in last 12m

Behavioural Problems

E2C% Disturbance of conduct NEC
Z40% [V]Mental/behavioural problems
1B1X. Behavioural problem

Other mental illness

E10% Schizophrenic disorders
E110% Manic disorder, single episode

E111% Recurrent manic episodes
 E1124 Single major depressive episode, severe, with psychosis
 E1134 Recurrent major depressive episodes, severe, with psychosis
 E114% Bipolar affective disorder, currently manic
 E115% Bipolar affective disorder, currently depressed
 E116% Mixed bipolar affective disorder
 E117% Unspecified bipolar affective disorder
 E11y. Other and unspecified manic-depressive psychoses
 E11y0 Unspecified manic-depressive psychoses
 E11y1 Atypical manic disorder
 E11y3 Other mixed manic-depressive psychoses
 E11yz Other and unspecified manic-depressive psychoses NOS
 E11z. Other and unspecified affective psychoses
 E11z0 Unspecified affective psychoses NOS
 E11zz Other affective psychosis NOS
 E12% Paranoid states
 E13.. Other nonorganic psychoses
 E130. Reactive depressive psychosis
 E131. Acute hysterical psychosis
 E132. Reactive confusion
 E133. Acute paranoid reaction
 E134. Psychogenic paranoid psychosis
 E13y% Other reactive psychoses
 E13z. Nonorganic psychosis NOS
 E2122 Schizotypal personality
 Eu2.. [X]Schizophrenia, schizotypal and delusional disorders
 Eu20% [X]Schizophrenia
 Eu21. [X]Schizotypal disorder
 Eu22% [X]Persistent delusional disorders
 Eu23% [X]Acute and transient psychotic disorders
 Eu24. [X]Induced delusional disorder
 Eu25% [X]Schizoaffective disorders
 Eu2y. [X]Other nonorganic psychotic disorders
 Eu2z. [X]Unspecified nonorganic psychosis
 Eu30. [X]Manic episode
 Eu300 [X]Hypomania
 Eu301 [X]Mania without psychotic symptoms
 Eu302 [X]Mania with psychotic symptoms
 Eu30y [X]Other manic episodes

Eu30z [X]Manic episode, unspecified
Eu31. [X]Bipolar affective disorder
Eu310 [X]Bipolar affective disorder, current episode hypomanic
Eu311 [X]Bipolar affective disorder, current episode manic without psychotic symptoms
Eu312 [X]Bipolar affective disorder, current episode manic with psychotic symptoms
Eu313 [X]Bipolar affective disorder, current episode mild or moderate depression
Eu314 [X]Bipolar affective disorder, current episode severe depression without psychotic symptoms
Eu315 [X]Bipolar affective disorder, current episode severe depression with psychotic symptoms
Eu316 [X]Bipolar affective disorder, current episode mixed
Eu317 [X]Bipolar affective disorder, currently in remission
Eu31y [X]Other bipolar affective disorders
Eu31z [X]Bipolar affective disorder, unspecified
Eu323 [X]Severe depressive episode with psychotic symptoms
Eu333 [X]Recurrent depressive disorder, current episode severe with psychotic symptoms

Reduced mobility in last 12m

13CD. Mobility very poor
13CE. Mobility poor
R00A. [D] Poor mobility
ZV4L0 [V]Reduced mobility

Osteoporosis

N330% Osteoporosis
NyuB0 [C]Oth osteoporosis+patalog
NyuB1 pX[Other osteoporosis
NyuB2 [X]Osteoporosis / oth disords CE

ALD patients with Down's, Tuberos scleriosis, Fragile X syndrome or Autism

Downs syndrome

PJ0% Down's Syndrome

Tuberous sclerosis

PK5% Tuberous sclerosis

Fragile X syndrome

PJyy4 Fragile X syndrome

PJyy2 Fragile X chromosome

Autism

E140% Infantile Autism

Eu840 [X] Childhood autism

Eu841 [X] Atypical autism

ALD patients with a diagnosis of other causes

All other causes (excepting Down's syndrome, tuberous sclerosis, Fragile X and autism), including:

Birth trauma, meningitis, head injury, brain tumour, congenital hydrocephalus, microcephalus, phenylketonuria, Prader-Willi syndrome, Smith-Magenis syndrome, Rett syndrome, congenital rubella and unknown or unspecified cause.

Birth Trauma

Q20% Birth Trauma

Meningitis

A0221 Salmonella meningitis
A130% Tuberculous meningitis
A206. Plague meningitis
A360. Meningococcal meningitis
A42% Meningitis due to enterovirus
A4z0. Lymphocytic Choriomeningitis
A4z1. Adenoviral meningitis
A530. Herpes zoster with meningitis
A54x1 Herpes simplex meningitis
A553. Measles comlic by meningitis
A721. Mumps meningitis
A9042 Congenital syphilit meningitis
A9180 Acute second. Syph. Meningitis
A942. Syphilitic meningitis
A98y1 Gonococcal meningitis
AA0y0 Leptospiral meningitis
ABZyZ Candidal meningitis
AB32. Coccidioidal meningitis
AB401 Histop. Capsulatum + meningitis
AB411 Histop. Duboisii + meningitis
AB652 Cryptococcal meningitis
Ayu8C [X] Other viral meningitis
Ayu8D [X] Viral meningitis, unspcificd

F00% Bacterial meningitis
F01% Meningitis - other organisms
F02% Meningitis - unspecified cause
F2924 Chemical meningitis
Fyu00 [X] other bacterial meningitis
Fyu01 [X] Meningitis in viral dis CE
Fyu02 [X] Meningitis in mycoses CE
Fyu04 [X] Meningitis / oth specf cause

Head Injury

S64% Intracranial injury NOS
SC20% Late-effect-intracran. Inj. -no#

Brain Tumour

B51% Mailg neop brain
B5830% 2-malig neop brain
B7F0% Benign neoplasm brain
B9250% Uncert. Neopl. Brain
BA06% Brain neopl. Unspecified nature.

Encephalitis

A1303 TB Meningoencephalitis
A1360 Tuberculous encephalitis
A361. Meningococcal encephalitis
A4y0. Enteroviral encephalitis
A4zy1 Acute necrotising encephalitis
A4zy2 Epidemic encephalitis
A4zy3 Encephalitis lelhargica

A4zy4 Von Economo's encephalitis
 A4zy5 Adenoviral encephalitis
 A4zz. Non-arthrop CNS viral dis NOS
 A520. Postcaricella encephalitis
 A5314 Zoster encephalitis
 A543. Herpetic meningoencephalitis
 A550. Postmeasles encephalitis
 A620. Japanese encephalitis
 A621. Western equine encephalitis
 A622. Eastern equine encephalitis
 A623. St Louis encephalitis
 A624. Australian encephalitis
 A625. California viral encephalitis
 A62y. Other sp mosquito virus enceph
 A63% Tick-borne viral encephalitis
 A64.. Viral enceph. From other arthr
 A722. Mumps encephalitis
 A9041 Congenital syphil. Encephalitis
 A94y0 Syphilitic encephalitis
 AD00. Toxoplasma
 meningoencephalitis
 AE20. Late effect viral encephalitis
 Ayu8A [X] Oth specfd vir encephalitis
 Ayu8B [X] Unspecfd viral encephalitis
 AyuJ8 [X] Sequelae/viral encephalitis
 F030% encephalitis in viral dis. EC
 F031% encephalitis-rickettsial EC
 F032% encephalitis-protozoal EC
 F033% encephalitis-other infect. EC
 F034% Postimmunisation encephalitis
 F035% Postinfectious encephalitis
 F036% Toxic encephalitis

F03y% Other causes of encephalitis
 F03z% encephalitis NOS

Congenital hydrocephalus

F23% Congenital hydrocephalus
 P10... Spina bifida + hydrocephalus

Microcephalus

P21% Microcephalus

Phenylketonuria

C301% Phenylketonuria

Prader-Willi Syndrome

PKy93 Prader - Willi syndrome

Smith-Magenis Syndrome

PK333. Smith-Magenis syndrome

Rett Syndrome

Eu842 [X] Rett's Syndrome

Congenital Rubella

Q400. Congenital rubella

Unknown or unspecified cause

Eu81% [X] Specif scholastic devel dis

ALD patients with Downs syndrome and a thyroid function test in last 12m

ALD patients with:

PJ0% Down's Syndrome

And a thyroid function test in the last 12 months:

442% Thyroid test codes

ALD patients with tuberous sclerosis and had BP taken and renal function tested in last 12m

ALD patients with tuberous sclerosis:

PK5% Tuberous sclerosis

And with a blood pressure record in the last 12 months:

246% (Except 246O., 246H., 246I., 246K., 246L., 246M.) O/E - blood pressure reading

And renal function test in the last 12 months:

44J3% Serum creatinine

44JC. Corrected plasma creatinine level

44JD. Corrected serum creatinine level

44JF. Plasma creatinine level

44J% Renal function

451E. GFR calculated abbreviated MDRD

451F. Glomerular filtration rate

451G. GFR calculated abbreviated MDRD adj for African American origin

Alcohol

Patients recorded as teetotal

With no record of Alcohol use or existing issue:

1361 Teetotaller

Alcohol use

136% Alcohol consumption codes

68S.. Alcohol consumption screen

Existing issue

9NN2. Under care community alcohol team

Patients screened using FAST or AUDIT C

Patients over 16 years screened using FAST or Audit C assessment tool in last 12 months (excluding teetotal patients)

388u. FAST alcohol screening test

9k16. Alcohol screening - FAST completed

Patients over 16 years declined the FAST or Audit C assessment tool in last 12 months

8IA7. Alcohol consumption screening test declined

9k19. Alcohol Assessment declined

9k17 Alcohol screen - AUDIT C completed

Brief interventions

Patients over 16 years who have had brief interventions after initial assessment in last 12 months

9k1A. Brief intervention for excessive alcohol consumption completed

Patients over 16 years who have declined brief interventions after initial assessment in last 12 months

8IAF. Brief intervention declined

Patients over 16 years who had a follow up or NO follow up between 10 - 14 months of brief intervention

Follow Up

ZV6D6 [V]Alcohol abus counsel+surveil

Patients over 16 years with a referral to other services in last 12 months

9K14 (alcohol counseling by other agencies) = North Lanarkshire Council
on Alcohol or Liber8 (South Lanarkshire)

8HkF (referral to substance misuse service) = South Lanarkshire
Substance Misuse Teams

8Hh1 (self referral to substance misuse service) = South Lanarkshire
Substance Misuse Teams

8HHe (referral to community drug and alcohol team) = Lanarkshire
Alcohol and Drug Service (South Lanarkshire)

8HkG (referral to specialist alcohol treatment service) = North Lanarkshire
Integrated Addiction Services

13Y8 (alcoholics anonymous) = local alcoholic anonymous service

Anti-coagulation

All patients on Warfarin therapy in the last 12 months

Prescriptions for Warfarin

All patients with relevant diagnosis and warfarin in past 12 months

Relevant Diagnosis

G401 Pulmonary embolism

G4010 Post operative PE

G4011 Recurrent pulmonary embolism

G801% Proximal deep vein thrombus

G800% Calf vein thrombus

Recurrence of VTE when not on warfarin - G401%, G801% or G800% after warfarin therapy stopped

66Q5 Warfarin therapy stopped

Recurrence of VTE when on warfarin - G401%, G801%, G800% after warfarin therapy started

66Q6 Warfarin therapy started

D30A Thrombophilia

N006 Antiphospholipid syndrome

G573. Atrial fibrillation / flutter

G5730 Atrial fibrillation

G5731 Atrial flutter

G5733 non-rheumatic atrial fibrillation

G573z Atrial fibrilat./ flutter NOS

G01% Rheumatic fever - heart involved

G020 Rheumatic chorea-heart involv.

G1.. Chronic rheumatic heart disease

G10% Chronic rheumatic pericarditis

G14.. Other endocardial rheum. Dis.

G14z. Rheumatic endocarditis NOS

G1y% Other specified chronic rheumatic disease

G1yz Chronic rheumatic heart disease NOS

P5% Bulbus cordis and cardiac septal closure anomalies

P6% Other congenital heart abnormalities
 Cyu13 [X]Other thyrotoxicosis
 F3954 Myopathy + thyrotoxicosis
 C02% Thyrotoxicosis
 Q443. Neonatal thyrotoxicosis
 G11% Mitral valve diseases
 G12% Rheumatic aortic valve disease
 G13% Diseases of mitral+aortic valve
 G14% Tricuspid valve disease NEC
 7L1H% External resuscitation
 G30A. Mural thrombosis
 Gyu5N [X] Other restrictive cardiomyopathy
 Gyu5P [X] Other cardiomyopathy
 Gyu5T [X] Cardiomyopathy/o disease CE
 L1865 Cardiomyopathy in puerperium
 G55% Cardiomyopathy
 79102 Prosthetic replace mitral valve
 79112 Prosthetic replace aortal valve
 79122 Prosthetic replace trucuspid valve
 79132 Prosthetic replace pulmonary valve
 79142 Prosthetic replace heart valve NEC
 ZV45H [V]Presence prosth heart valve
 G65% Transient cerebral ischaemia
 F423% Retinal vascular occlusion
 G74% Arterial embolism/thrombosis
 7A102 Arterial grafts (and 7A103, 7A182, 7A185, 7A1A7, 7A200, 7A26E,
 7A26F, 7A41F, 7A48E, 7A499, 7A522, 7A523, 7A606, 7A60Z, 7A660,
 7A6D7, 7A6D8, 7A6D9, 7A6H%, 7A6Z1, 7A6Z3)
 G340% Coronary atherosclerosis
 G342. Atherosclerotic cardiovasc. Dis
 7920% Saphen v graft repl coronary art
 7921% Other autograft rep coronary a
 7922% Allograft replac coronary art
 79275 Open angioplasty coronary art
 79293 Rotary coronary angioplasty
 79294 Insert coronary art stent
 79295 Insert drug-elut cor art stent

Warfarin monitoring

All patients on Warfarin therapy with Warfarin monitoring in the last 12 months
66Q.. Warfarin monitoring

Target INR

All patients on Warfarin therapy with target INR set in last 12 months
66Q7. Target international normalised ratio

All patients on Warfarin therapy with target INR results in last 12 months
42QE. International normalised ratio

Seen in Clinic

All patients on Warfarin therapy seen in **GP Anticoagulation Clinic** in last 12 months

9NkE Seen in general practitioner anticoagulation clinic

All patients on Warfarin therapy seen in **Community Anticoagulation Clinic** in last 12 months

9NkC Seen in community anticoagulation clinic

Care homes

All patients admitted to care homes in the last 12 months

- 13FX. Lives in care home
- 13FV. Lives in a welfare home
- 13FT. Lives in an old peoples home

Admission examination within 7 days of admission to care home

- 6991. Geriatric home admission exam

Influenza Vaccination

- 65E.. Influenza vaccination
- 65E0. First pandemic influenza vaccination
- 65E1. Second pandemic influenza vaccination
- ZV048 [V]Influenza vaccination
- 65E2. Influenza vacc othr hlth prov
- 65E3. 1st pan flu vac othr hlth prov
- 65E4. 2nd pan flu vac othr hlth prov

Excepting:

- 14LJ. H/O: influenza vaccine allergy
- U60K4 [X]Influenza vaccine causing adverse effects in therapeutic use
- ZV14F [V]Personal history of influenza vaccine allergy
- 8I2F. Influenza vaccination contraindicated
- 8I6D. Influenza vaccination not indicated
- 68NE. No consent - influenza imm.
- 90X5. Influenza vaccination declined

Pneumococcal Vaccination

- 6572% Pneumococcal Vaccination

Excepting:

- 657K. Booster pneumococcal vaccinatn
- 8I2E. Pneumococcal vaccin contraind
- 8I6P. Pneumococcal vacc not indicate
- 657P. Pneum vacc othr health providr

Anticipatory care plan

- 661M. Clinical Management plan agreed
- 661N. Clinical management plan reviewed
- 8CS.. Agreement of care plan

Carers

Carer codes

- 918G. Is a carer
- 918W. Carer of person with learn disab
- 918X. Carer of pers with physi disab
- 918Y. Carer of person with sens impairm
- 918a. Carer of pers with subs misuse
- 918b. Carer of pers with alco misuse
- 918c. Carer of pers with chron disea
- 918d. Carer pers with ment heal prob

Is no longer a carer

Latest record:

- 918f. Is no longer a carer

COPD ES

Patients on COPD register

Diagnosis of COPD

- H3... Chronic obstructive pulmonary disease
- H31% (except H3101, H31y0, H3122) Chronic bronchitis
- H32% Emphysema
- H36..-H3z.. Mild chronic obstructive pulmonary disease
- H37.. Moderate chronic obstructive pulmonary disease
- H38.. Severe chronic obstructive pulmonary disease
- H3y.. Other specified chronic obstructive airways disease
- H3y0. Chronic obstructive pulmonary disease with acute lower respiratory infection
- H3y1. Chronic obstructive pulmonary disease with acute exacerbation, unspecified
- H3z.. Chronic obstructive airways disease NOS

COPD Severity

- H36.. Mild chronic obstructive pulmonary disease
- H37.. Moderate chronic obstructive pulmonary disease
- H38.. Severe chronic obstructive pulmonary disease

Mild COPD

Number of patients categorised as "Mild" (MRC or FEV1 criteria)

- H36.. Mild chronic obstructive pulmonary disease

Of patients classified as "Mild", how many are exception coded (number and percentage of mild patients at (2))

- H36.. Mild chronic obstructive pulmonary disease
- and
- 9h5. Excepted from COPD quality indicators
 - 9h51. Excepted from COPD quality indicators: Patient unsuitable
 - 9h52. Excepted from COPD quality indicators: Informed dissent

Number of patients classified as “Mild” who are engaged in self-management programme

H36.. Mild chronic obstructive pulmonary disease

and

66YI. COPD Self-management programme

Moderate and severe COPD

Number of patients categorised as “moderate”

H37.. Moderate chronic obstructive pulmonary disease

Number of patients categorised as “Severe”

H38.. Severe chronic obstructive pulmonary disease

H39.. Very severe chronic obstructive pulmonary disease

Diabetic ES

Patients on diabetic register

C10E% Type 1 diabetes mellitus

C10F% Type 2 diabetes mellitus

Excluding C10F8 Reaven's syndrome

Excluding those patients whose LAST Diabetes Register entry shows "Removed From Register" before the end of last month, and since the latest diagnosis code

Excluding those with one of the following Read codes for Diabetes Resolved recorded before the end of last month and since the latest diagnosis

212H. Diabetes resolved

21263 Diabetes resolved

Patients with Type 2 diabetes

C10F% Type 2 diabetes mellitus(excluding C10F8 Reaven's syndrome)

Type 2 diabetics whose main locus of care is in hospital

C10F% Type 2 diabetes mellitus

and

66AU. Diabetes care by hospital only

Type 2 diabetics whose main locus of care is in practice care

C10F% Type 2 diabetes mellitus

and

66AP. Diabetes: Practice Programme

Type 2 diabetics whose main locus of care is not recorded as practice or hospital in last 12m

66AQ Diabetes:shared care programme

Type 2 diabetics with a record of an annual review, including sharing of recent results, in this financial year

C10F% Type 2 diabetes mellitus

and one or more of the following:

66AS. Diabetic annual review

66A.. Diabetic monitoring
90LA Diabetes monitor: check done

Type 2 diabetics with NO annual review

C10F% Type 2 diabetes mellitus
with no record of a review of one of the following:
66AS. Diabetic annual review
66A.. Diabetic monitoring

Type 2 diabetics who have been exception coded

C10F% Type 2 diabetes mellitus
who have been exception coded with one or more of the following:
9h4% Excepted from diabetes quality indicators
9h41. Excepted from diabetes quality indicators: Patient unsuitable
9h42. Excepted from diabetes quality indicators: Informed dissent
or with
90L2. Refuses diabetes monitoring
90L3. Diabetes monitoring default.

Type 2 diabetics referred to community education services

C10F% Type 2 diabetes mellitus
and one or more of the following:
679R. Patient offered diabetes structured education programme.
8Hj3. Referral to DAFNE diabetes structured education programme.
8Hj4. Referral to DESMOND diabetes structured education programme.
8Hj5. Referral to XPERT diabetes structured education programme.
8Hj0. Referral to diabetes structured education programme.
90LH. Attended DAFNE diabetes structured education programme.
90LB. Attended diabetes structured education programme.
90LL. XPERT diabetes structured education programme completed.
90LJ. DAFNE diabetes structured education programme completed.
90LK. DESMOND diabetes structured education programme completed.
90LF. Diabetes structured education programme completed.
90LM. Diabetes structured education programme declined
9NiC. Did not attend DAFNE diabetes structured education programme.
9NiA. Did not attend diabetes structured education programme.
9NiE. Did not attend XPERT diabetes structured education programme.
8I82. Did not complete DAFNE diabetes structured education programme.

8I83. Did not complete DESMOND diabetes structured education programme.

8I81. Did not complete diabetes structured education programme

8I84. Did not complete XPERT diabetes structured education programme.

Type 2 diabetics with a new referral to secondary care in past year

C10F% Type 2 diabetes mellitus

and one or more of the following:

8H41. General medical referral

8H44. Cardiological Referral

8H4F. Referral to diabetologist

8H4L. Referred to nephrologist

8H4K. Referred to endocrinologist

8H4Q. Ref paediatric endocrinologist

8H4N. Ref to paediatric cardiologist

8H4Z. Referral to physician NOS

8H5G. Refer Cardio thoracic surgeon

8Hti. Refer multidis diabetic clinic

8HVU. Private referral diabetologist

8HVC. Private referral to vascular surgeon

8H7C. Refer diabetic liaison nurse

8H7f. Referral to diabetes nurse

8H76. Refer to dietician

8HHE. Refer to paediatric dietician

8H7r. Refer to diabetic foot screen

8HTk. Referral to diabetic eye clinic

8HI1. Ref diabetc retinopathy screen

Ethnicity and Interpreter Needs

All patients with ethnicity recorded

9S13. White Scottish
9i20. English- ethnic category 2001 census
9i22. Welsh - ethnic category 2001 census
9i24. Northern Irish- ethnic category 2001 census
9S10. White British
9S11. White Irish
9i2E. Gypsy/Romany-ethnic category 2001 census
9i2F. Polish- ethnic category 2001 census
9S12. Other white ethnic group
9SB.. Other ethnic, mixed origin
9S7.. Pakistani
9S6.. Indian
9S8.. Bangladeshi
9S9.. Chinese
9SH.. Other Asian ethnic group
9S3.. Black African
9S2.. Black Caribbean
9S41. Black British
9S4.. Black, other, non-mixed origin
9SJ.. Other ethnic group
9SD.. Ethnic group not given - patient refused

All patients with interpreter needs required

9NU% Need for interpreter
9Nm% Other interpreter needed
9Nn% Further interpreter needed
9NUw. Interpreter needed- British Sign Language
9NUx. Interpreter needed- Makaton Sign language

IUCD

IUCD fitting in last 12 months (excluding any fittings removed)

615% Intra-uterine contr. Device
7E09% IUCD procedure
61K% Subcutaneous contraceptive
7GAA Insertion of Norplant
7G2h% Removal of Norplant
6151. IUD fitted
6153. IUD re-fitted
614N. IUCD fit by another GP practice
7E090 IUCD introduction
7E094 Introduction of Minera coil
14V6. H/O: IUCD present
61KA. Insert subcut contraceptive

excluding any fittings removed, with a removal record after the fitting date:

6152. IUD removed
7E092 IUCD removal NEC
7E093 Displaced IUCD removal
7E095 Removal of Mirena coil
7G2H5 Removal of Norplant

IUCD fitting removed in last 12m

6152. IUD removed
7E092 IUCD removal NEC
7E093 Displaced IUCD removal
7E095 Removal of Mirena coil
7G2H5 Removal of Norplant

IUCD fitted and who had a chlamydia screening in last 12m

43U% Chlamydia antigen test
43eJ. Chlamydia trachomatis IgG lev
43h0. Chlamydia trachomatis PCR
43n9. Chlamydia trachomatis IgA lev
46H7. Urine chlamydia trach test neg
4JDM. Chlamydia serology

- 4JK9. Endocervical chlamydia swab
- 4JKA. Urethral chlamydia swab
- 4JKD. LVS for chlamydia taken by pt

IUCD fitted and who had an IUCD check or review in last 12m

- 6154. IUD checked - no problems
- 6155. IUD checked - problems
- 6156. IUD - defaulted from check
- 615F. IUD check
- 615L. IUCD 6 week check
- ZV25F [V]IUD check
- 61KB. check of subcut contraceptive.
- 615K. IUCD annual review
- 615M. IUCD annual review by phone

IUCD fitted and who had complications in last 12m

- 615B. IUD expelled
- 615C. IUD failure - pregnant
- 615D. IUD partially expelled
- 615E. IUD threads lost
- 615J. Unsuccessful IUCD insertion

Minor Injuries

All patients treated for minor injuries treated in the practice in the last 12 months

9kB.. Minor injury - enh serv admin

Minor Injuries Consultation

9Na1. Consultation for minor injury
9Na3. Follow-up consult minor injury

Cuts & lacerations to Head/Face

S80% Open wound of ocular adnexa
S82% Open wound of ear
S83% Other open wound of head
S8z.. Open wound head/neck/trunk
NOS

Cuts & lacerations to the Neck/Trunk

S84% Open wound of neck
S85% Open wound of chest wall
S86% Open wound of back
S87% Open wound of buttock
S88% Open wound ext. genital organs
S89% Other open wounds excl. limbs
S8A% Open wounds involv head wth
nck
S8z.. Open wound head/neck/trunk
NOS

Cuts & Lacerations to the Shoulder/Arm/Forearm/Wrist/Hand

S90% Open wound shoulder/upper
limb
S91% Open wound
elbow/forearm/wrist

S92% Open wound hand excl.
finger(s)

S93% Open wound finger(s) or thumb
S94% Multiple/unsp. Open wound arm
S9z.. Open wound upper limb NOS

Cuts & Lacerations to the hip/Thigh/Leg/Ankle/Foot

SA0% Open wound hip and thigh
SA1% Open wound knee/leg/ankle
SA2% Open wound foot excl. toe(s)
SA3% Open wound toe(s)
SA4% Multiple/unsp. Open wound leg
SA9% Multipl open wounds/hip+thigh
SAA% Open wnds/multireg/lwr limb(s)
SAz.. Open wound of lower limb NOS

Bruising & Contusions to the Head/Face

SE00% Contusion, forehead
SE01% Contusion, cheek
SE02% Contusion, nose
SE03% Contusion, lip
SE04% Contusion, gum
SE05% Contusion, ear
SE06% Bruise-mandibular joint area
SE09% Contusion, scalp
SE0z. Contusion face, scalp+neck NOS
SE10% Black eye NOS
SE11% Contusion, eyelids+perioc tiss
SE12% Contusion, orbital tissues

SE1z% Contusion, eye NOS

Bruising & Contusions to the Neck/Trunk

SE07% Contusion, throat
SE08% Other contusion, neck
SE20% Contusion, breast
SE21% Contusion, chest wall
SE22% Contusion, abdominal wall
SE23% Contusion, back
SE24% Contusion, genital organs
SE25% Contusion of pelvic region
SE2y% Contusion, multi sites trunk
SE2z. Contusion, trunk NOS

Bruising & contusions o the Shoulder/Arm/Forearm/Wrist/Hand

SE30% Contusion, shoulder/upper arm
SE31% Contusion, elbow or forearm
SE32% Contusion, wrist or hand
SE33% Contusion, finger
SE3y% Contusion upr limb, mlti sites
SE3z. Contusion upper limb NOS

Bruising & Contusions to the Hip/Thigh/Leg/Ankle/Foot

SE40% Contusion, hip and thigh
SE41% Contusion, knee and lower leg
SE42% Contusion, ankle+foot, exc toe(s)
SE43% Contusion, toe
SE44% Contusion, lwr limb, mlti sites
SE45. Contusion, lower limb NOS
SE46% Traumatic haematoma

Sprains & Strains of the Shoulder/Arm/Wrist

S50% Sprain shoulder/upper arm
S51% Sparin elbow/forearm
S52% Sprain wrist/hand

Sprains & Strains of the Hip/Knee/ankle/Foot

S53% Sprain hip/thigh
S54% Sprain knee/leg
S55% Sprain ankle/foot

Dislocations & Subluxations to the Upper Phalanges

S440% Cls traumtc disloctn digit
S441% Opn traumatic disloctn digit
S442% Cls trmic subluxation digit
S443% Open trmtc subluxation digit
S44z. Dislocation finger/thumb NOS

Dislocations & Subluxations to the Lower Phalanges

S4801 Cls tramic tarsal dslctn, unsp
S4802 Cls trm dslctn, midtarsal jt
S4803 Cls trm dslc, tarso-metatrsl jt
S4804 Cls trm metatarsal dslcln, unsp
S4805 Cl trm dsl, mtatro-phln jt, sgl
S4806 Cl traum dslc toe, IPJ, single
S4807 Cl tr dsl, mtatrs-phlng jt, mlti
S4808 Cl traum disloc toe, IPJ, multi
S4811 Opn trmtc tarsal dslctn, unsp
S4812 Opn trmtc dislctn, midtarsal jt
S4813 Opn trm dslc, tarso-metatrsl jt
S4814 Opn trm metatarsal dslc, unsp
S4815 Op trm dsl, mtatrso-phln jt, sgl
S4816 Open traum disloc toe, IPG, sing
S4817 op tr dsl, mtatrso-phln jt,mlti
S4818 Open traum disloc toe, IPJ, multi
S4821 Cls trm sublux, tarsal jt, unsp
S4822 Cls trmtc sublix, midtarsal jt
S4823 Cls trm sublix, trso-mtatrsl jt
S4824 Cl tr sublx, mtatrs-phln jt, sgl
S4825 Cl traum sublux toe, IPJ, single

S4826 Cl tr sblx, mtatrs-phln jt, multi
 S4831 Opn trmtc sublux, tarsal jt, unsp
 S4832 Opn trmtc sublux, midtarsal jt
 S4833 Op trm sublix, tarso-mtatrsl jt
 S4834 Op trm sublx mtatrs-phl jt, sgl
 S4835 Opn trm sublux toe, IPJ, single
 S4836 Op tr sblx, mtatrs-phln jt, mlti
 S4837 Op traum sublix toe, IPJ, multi

Burns & Scalds to the Head/Scalp

SH110 Superficial burn-face/hd unsp
 SH116 Superficial burn-scalp
 SH11x Superficial burn-head.neck
 SH11z Superficial burn-head/neck NOS
 SH120 S/Pt thick burn-face/head unsp.
 SH126 Sup/partial thick burn-scalp
 SH12x Part thick burn-mult.head/neck
 SH12z Part thick burn-head/neck NOS

Burns & Scalds to the Trunk

SH211 Superficial burn-breast
 SH212 Superficial burn-chest wall
 SH213 Superficial burn - abdominl wall
 SH214 Superficial burn-back ex.butt.
 SH215 Superficial burn-buttock
 SH217 Corrosion/1st degree/trunk
 SH21x Superficial burn-multipl, trunk
 SH21z Superficial burn-trunk NOS
 SH221 Sup/partial thick burn-breast
 SH222 Sup/part thick burn-chest wall
 SH223 S/pt thick burn- abdominal wall
 SH224 S/Pt thick burn-back exc butt
 SH225 Sup/partial thick burn-buttock
 SH22x Part thick burn-multiple, trunk
 SH22z Part thickness burn-trunk NOS

Burns & Scalds to the Shoulder/Arm/Forearm/Wrist

SH310 Superficial burn-arm, unspecif
 SH311 Superficial burn-forearm
 SH312 Superficial burn-elbow
 SH313 Superficial burn-upper arm
 SH314 Superficial burn-axilla
 SH315 Superficial burn-shoulder
 SH316 Superficial burn-Scapular regn
 SH31x Superficial burn-mult.arm site
 SH31z Superficial burn-arm NOS
 SH417 Superficial burn-wrist
 SH41x 1st degr.burn-mult,wrist/hand
 SH41z Superficial burn-wrist/hnd NOS
 SH320 S/Pt thick burn-arm, unspecif
 SH321 Sup/partial thick burn-forearm
 SH322 Sup/partial thick burn-elbow
 SH323 Sup/partial thick burn-upper arm
 SH324 Sup/partial thick burn-axilla
 SH325 Sup/part thick burn-shoulder
 SH326 S/Pt thick burn-scapular regn.
 SH32x Part thick burn-mult.arm sites
 SH32z Partial thickness burn-arm NOS
 SH427 Sup/partial thick burn-wrist
 SH42x Part thick burn-mult.wrst/hnd
 SH42z Part thick burn-wrist/hand NOS

Burns & Scalds to the Hip/Thigh/Leg/Ankle

SH510 Superficial burn-leg, unspecif.
 SH513 Superficial burn-ankle
 SH514 Superficial burn-lower leg
 SH515 Superficial burn-knee
 SH516 Superficial burn-thigh
 SH51x Superficial burn-mult.site leg
 SH51z Superficial burn-leg NOS
 SH520 S/Pt thick burn-leg unspecif
 SH523 Sup/partial thick burn-ankle
 SH524 Sup/part thick burn-lower leg

SH525 Sup/partial thick burn-knee
SH526 Sup/partial thick burn-thigh
SH52x Part thick burn-mult.site leg
SH52z Partial thickness burn-leg NOS

Head Injuries, including Concussion

S6460 Minor head injury
S646. Head injury
S600. Concussion+no loss conscious

Eye Injuries

S810. Ocular lacn.+no intraoc.prolap
S811. Ocular lacn.+intraoc.prolapse
S812. Eye rupture+partial tiss.loss
S813. Avulsion of eye
S814. Eye laceration, unspecified
S815. Magnetic FB eyeball penetratn.
S816. Nonmagn.FB eyeball penetration
S817. Ocular penetraion unspecified
S818. Intraocular foreign body
S81z. Open wound of eyeball NOS
SD81. Superficial injury-cornea
SD82. Superficial injury-conjunctiva
SD9z. Superficial eye injuries NOS
SH02. Alkaline burn-cornea/conj.sac
SH03. Acid burn-cornea/conjunct.sac
SH04. Other burn-cornea/conjunct.sac
SH05. Burn+eyeball rupture/destructn
SH050 Cor/reslt rupt+destruct/eyeball
SH0y. Burn - cornea NOS
SH102 Unsp. Degr. Burn-eye
SH112 Superficial burn-eye
SH122 Sup/partial thick burn-eye

Superficial (non-penetrating) Ocular Foreign Bodies

SG0% Foreign body on external eye

Minor Trauma to Hands/Upper limbs

SD20. Abrasion-should/upp.arm,no inf
SD21. Abrasion-should/upp.arm+infect
SD30. Abrs/frct burn lw arm-no infct
SD31. Abrasion-lower arm+infection
SD40. Abrasin-hand, no infection
SD41. Abrasion-hand+infection
SD50. Abrasion-finger, no infection
SD51. Abrasion-finger + infection
SD22. Blister-should./upp.arm, no infection
SD23. Blister-should/upp.arm+inf
SD32. Bliser-lower arm, no infection
SD33. Blister-lower arm+infection
SD42. Blister-hand, no infection
SD43. Blister-hand+infection
SD52. Blister-finger, no infection
SD53. Blister-finger + infection
SD24. Ins.bte.nonv.up arm/shldr,-inf
SD25. Ins.bte.nonv.upp arm/shldr+inf
SD34. Ins.bte.nonv,-lower arm, no inf
SD35. Ins.bte.nonv.-lower arm+infect
SD44. Insect bite nonven-hand, no inf
Sd45. Insect bite nonven-hand+inf
SD54. Insect bite nonv-finger, no inf
SD55. Insect bite nonven.-finger+inf
SD28. Mult suprffc inj/should+upp arm
Sd38. Multip superficial inj/forearm
SD39. Multip superfic inj/wrist+hand
SD2y. Sup.inj.-up arm/shr NOS, no inf
Sd2z. Sup.inj.-upper arm NOS+infectn
SD3y. Superf.inj.-low.arm NOS, no inf
SD3z. Superf.inj-lower arm NOS +inf
SD4y. Superf.inj.hand NOS, no inf
SD4z. Superf.inj.-uamd NOS+infect.
SD5y. Superfic.inj-finger NOS, no inf
SD5z. Superfic.inj.-finger NOS+inf.

Minor Trauma to Lower Limbs/Feet

SD60% Abrasion-leg, no infection
SD61% Abrasion-leg+infection
SD70% Abrasion-foot/toe, no infection
SD71% Abrasion-foot/toe+infection
SD62% Blister-leg, no infection
SD63% Blister-leg+infection
SD72% Blister-foot/toe, no infection
SD73% Blister-foot/toe+infection
SD64% Insect bite nonv.-leg, no infect
SD65% Insect bite nonv.-leg+infectn.
SD74% Ins.bte.nonv.-foot/toe, no inf
SD75% Insect bite nonv.-foot/toe+inf
SD68% Multip superfcl inj/hip+thigh
SD69% Multip superficl inj/lower leg
SD6y% Superfic.injury-leg NOS, no inf
SD6z% Superfic.injury-leg NOS+infect

Foreign Bodies in Ear/Nose/Mouth

SG1% Foreign body in ear
SG2% Foreign body in nose
SG50. Foreign body in mouth

Foreign Bodies in Tissue

SD06% Splinter hd, no maj open wnd/infct
SD07% Spliner hd-no mj opn wnd, infct
SD16% Splinter-trunk, no infection
SD17% Splinter-trunk+infection
SD26% Splinter-upp arm/shldr, no inf.
SD27% Splinter-upper arm/shldr+infect
SD36% Splinter-lower arm, no infectn.
SD37% Splinter-lower arm+infection
SD46% Splinter-hand, no infection
SD47% Splinter-hand+infection
SD56% Splinter-finger, no infection

SD57% Splinter-finger+infection
SD66% Splinter-leg, no infection
SD67% Splinter-leg+infection
SD76% Splinter-foot/toe, no infection
SD77% Splinter-foot/toe+infection
SD96% Splinter, no infection NOS
SD97% Splinter+infection NOS
SP243 Foreign body left in wound

Non-simple Domestic First Aid

7G2D5 Cleaning of skin wound NEC
8311. Bandaging
8312. Application of sling
8314. Immobilisation by bandaging
8315. Immobilisation by sling
8316. Multi-layer compress bandaging
835.. Compression
8393% Removal of support
83A% Application of strapping
8613. Hot packs-therapy
8621. Local cooling therapy
8622. General cooling therapy
8771. Ocygen therapy
8BAA. Pain relief
8BC7. Glueing of wound
8BC8. Applicatn adhesiv skin closure
8C1L. Wound care
8C1Q. Compression hosiery procedure
81B% Evacuation by syringing

Dressing of Wound

81H% Dressing of wound
8B11. emergency dressing

Suturing of Wounds

7G200 Primary suture skin hd/nck NEC
7G201 Delayed 1st suture skin hd/nck
7F202 Secondary suture skin hd/neck
7G203 Resuture skin of head or neck

7G20y Suture skin head or neck OS
7G20z Suture skin head or neck NOS
7G210 Primary suture of skin NEC
7G211 delayed 1st suture skin NEC
7G212 Secondary suture of skin NEC
7G213 Resuture of skin NEC
7G214 Suture of skin NOS
7G21y Suture skin or other site OS
7G21z Suture skin of other site NOS

Removal of Sutures

7G220 Removal skin clip head or neck
7G221 Removal of clip from skin NEC
7G222 Removal suture skin head neck
7G223 Removal of suture skin NEC
7G22y Rmvl oth spec repr mat frm skn
7G22z Remov repair material skin NOS

Minor Surgery

Patients with injections and invasive procedures in practice in last 12m

9kC.. Minor Surgery - enh serv admin
8HHS. Referral for minor surgery
8LB.. Minor surgery planned
9871. Minor surgery done + claimable
9876. Minor surgery done - cautery
9877. Minor surgery done - injection
9878 Minor surgery done - aspiration
9879. Minor surgery done - incision
987A. Minor surgery done - excision
987B. Minor surgery done - other
9kC.. Minor surgery - enh serv admin
987C. Minor surgery done

Minor Surgery Procedure

7G301 Chemical destruction nailbed
7G302 Destruction of nail bed NEC
7G325 Partical excision of nail NEC
7G324 Total excision of nail
7Gy.. Skin operations OS
7G052 Shave excis lesion skin hd/nk
7G251 Drainage of lesion of skin NEC

7G033 Excision lesion of skin NEC
7M0L0 Surg removal FB from organ NOC
7Hy.. Soft tissue operations OS
7G0C1 Biopsy of lesion of skin NEC
7734. Excision of haemorrhoid
7G245 Removal FB from skin NEC

Minor Surgery Procedure complete

987C. Minor surgery done

Sutures

7G20% Suture of skin - head and neck
7G21% Suture of skin - other site

Steroid Injection Site

7K6Z5 Inject steroid shoulder jt
7K6Z6 Inject steroid ankle joint
7K6Z7 Inject steroid into knee joint
7K6ZF Injection steroid wrist joint
7K6ZH Injection of steroid into carpometacarpal joint of finger
7K6ZG Injection of steroid into carpometacarpal joint of thumb
7K6ZJ Injection of steroid into hip joint
7G2A1 Injection of sterod into subcutaneous tissue
7NA19 [SO]Lateral epicondyle humerus
7NA15 [SO]Medial epicondyle humerus
7K6Z3 Injection into joint NEC
7L10C Inject steroid plantar fascia
7L191 Inj steroid for local act NEC
7H496 Ster injec med opicon tend hum

Patients with consent for injections and invasive procedures in last 12m

8923. Consent given minor surg proc.

982 FP81 - Night visit claim

987 FP/CHS - minor surgery claim

Patients with consent within one day of injections and invasive procedures taking place in last 12m

Patients with a minor surgery procedure code

and

8923. Consent given minor surg proc.

Histology sent

Patients who had tissue/had NO tissue sent for histology in last 12m

4K12. Specimen sent for histology

Near Patient Testing

Number of patients on each drug prescribed in the last 12 months:

Auranofin

Azathioprine

Hydroxychloroquine

Leflunomide

Methotrexate

Myocrisin

Penicillamine

Sulfasalazine

Osteoporosis

Female patients between 60-70

Female patients between 60-74 with a history of fragility fracture sustained after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis

Female patients between 64-70 with a fragility fracture and confirmed diagnosis of osteoporosis

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis

and

N330 Osteoporosis

Female patients between 60-74 with a fragility fracture after 01/11/2008 who has had a DEXA scan or has been referred for one

Fragility fracture after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis.

and one of the following:

58E% Dual energy X-ray photon absorptiometry

58F. Bone density scan

8HQ8. Refer for imaging

8HQA. Referral for DXA scan of hip and spine

8HQB. Referral for DXA scan of forearm

8HQC. Referral for DXA scan of heel

Female patients between 60-74 with a fragility fracture who have been offered preventative treatment with bone-sparing drugs in last 12m

Fragility fracture after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis.

and one of the following:

BNF chapter 6.6

9kj0 Bone sparing drug treatment offered for osteoporosis - enhanced services administration

Female patients over 75

Female patients over 75 with a history of fragility fracture sustained after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis

Female patients over 75 with a fragility fracture with a confirmed diagnosis of osteoporosis

N330 Osteoporosis

Female patients over 75 with a fragility fracture after 01/11/2008 who has had a DEXA scan or has been referred for one

Fragility fracture after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis.

and one of the following:

58E% Dual energy X-ray photon absorptiometry

58F. Bone density scan

8HQ8. Refer for imaging

8HQA. Referral for DXA scan of hip and spine

8HQB. Referral for DXA scan of forearm

8HQC. Referral for DXA scan of heel

Female patients over 75 with a fragility fracture who have been offered preventative treatment with bone-sparing drugs in last 12m

Fragility fracture after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis.

and one of the following:

BNF chapter 6.6

9kj0 Bone sparing drug treatment offered for osteoporosis - enhanced services administration