

# Lanarkshire ES audits

## Contents

Version 9, 11/03/2010 - All lines in the audit are looking for the latest entry in the last QOF year. Clinical category **Lanarkshire ES - ES Reporting;**

<b>LANARKSHIRE ES AUDITS</b>	<b>1</b>
<b>Adults with Learning Disabilities</b>	<b>4</b>
All patients with learning disability	4
Liaison with LD services in the last 12m	4
Appropriate screening and chronic disease management	4
Smoking status	4
Smoking cessation in last 12m	5
Alcohol consumption in last 12m	6
Alcohol advice in last 12m	6
Dietary habits in last 12m	6
Dietary advice in last 12m	6
Physical exercise in last 12m	7
Exercise advice in last 12m	7
Blood pressure reading in last 12m	7
BMI recorded in last 12m	7
Cervical cytology status in last 12m	7
Specific assessment of communication difficulties and sensory problems (hearing and vision)	8
Severity of learning disability recorded in last 12m	8
Living arrangements in last 12m	8
Speech problems recorded in last 12m	9
Assessment of communication skills recorded in last 12m	9
Visual impairments recorded in last 12m	9
Hearing impairments recorded in last 12m	9
Difficulty in swallowing in last 12m	10
Gastro-oesophageal reflux disease in last 12m	10
Feeding problems in last 12m	10
Incontinence in last 12m	10
Behavioural problems or other mental illness in last 12m	10
Reduced mobility in last 12m	12
Osteoporosis	12
ALD patients with Down's, Tuberous sclerosis, Fragile X syndrome or Autism	12
Downs syndrome	12
Tuberous sclerosis	12
Fragile X syndrome	13
Autism	13
ALD patients with a diagnosis of other causes	14
Birth Trauma	14
Meningitis	14
Head Injury	14
Brain Tumour	14
Encephalitis	14

Congenital hydrocephalus	15
Microcephalus	15
Phenylketonuria	15
Prader-Willi Syndrome	15
Smith-Magenis Syndrome	15
Rett Syndrome	15
Congenital Rubella	15
Unknown or unspecified cause	15
ALD patients with Downs syndrome and a thyroid function test in last 12m	16
ALD patients with tuberous sclerosis and had BP taken and renal function tested in last 12m	16
<b>Alcohol</b>	<b>17</b>
Patients recorded as teetotal	17
Alcohol use	17
Existing issue	17
Patients screened using FAST or AUDIT C	17
Brief interventions	17
<b>Anti-coagulation</b>	<b>19</b>
All patients on Warfarin therapy in the last 12 months	19
All patients with relevant diagnosis and warfarin in past 12 months	19
Relevant Diagnosis	19
Warfarin monitoring	20
Target INR	21
Seen in Clinic	21
<b>Care homes</b>	<b>22</b>
All patients admitted to care homes in the last 12 months	22
Admission examination within 7 days of admission to care home	22
Influenza Vaccination	22
Pneumococcal Vaccination	22
Anticipatory care plan	22
<b>Carers</b>	<b>23</b>
Carer codes	23
Is no longer a carer	23
<b>COPD ES</b>	<b>24</b>
Patients on COPD register	24
Diagnosis of COPD	24
COPD Severity	24
Mild COPD	24
Moderate and severe COPD	25
<b>Diabetic ES</b>	<b>26</b>
Patients on diabetic register	26
Patients with Type 2 diabetes	26
<b>Ethnicity and Interpreter Needs</b>	<b>29</b>
All patients with ethnicity recorded	29
All patients with interpreter needs required	29
<b>IUCD</b>	<b>30</b>
IUCD fitting in last 12 months (excluding any fittings removed)	30
IUCD fitting removed in last 12m	30
IUCD fitted and who had a chlamydia screening in last 12m	31

IUCD fitted and who had an IUCD check or review in last 12m	31
IUCD fitted and who had complications in last 12m	31
<b>Minor Injuries</b>	<b>32</b>
All patients treated for minor injuries treated in the practice in the last 12 months	32
<b>Minor Surgery</b>	<b>37</b>
Patients with injections and invasive procedures in practice in last 12m	37
Minor Surgery Procedure	37
Minor Surgery Procedure complete	38
Sutures	38
Steroid Injection Site	38
Patients with consent for injections and invasive procedures in last 12m	39
Histology sent	39
<b>Near Patient Testing</b>	<b>39</b>
<b>Osteoporosis</b>	<b>40</b>

---

## Adults with Learning Disabilities

### All patients with learning disability

Patients aged 16 and over with learning disabilities (Adults with Learning disabilities ALD)

E3% Mental retardation

Eu7.. [X]Mental retardation

Eu70% [X]Mild mental retardation

Eu71% [X]Moderate mental retardation

Eu72% [X]Severe mental retardation

Eu73% [X]Profound mental retardation

Eu7y% [X]Other mental retardation

Eu7z% [X]Unspecified mental retardation

Eu81z [X]Developmental disorder of scholastic skills, unspecified

918e. On learning disability register

---

For the following, one diagnosis is required; more may be recorded

---

### Liaison with LD services in the last 12m

For each ALD patient, evidence that liaison with LD services has or has NOT taken place in the last 12m:

9HB3. Learning disab health assessmt

### Appropriate screening and chronic disease management

All patients with ALD who have had (not had) appropriate screening and chronic disease management needs undertaken (including, but not limited to, general health screening as appropriate including:

#### **Smoking status**

137.. Tobacco consumption

1371. Never smoked tobacco

1372. Trivial smoker - < 1 cig/day

1373. Light smoker - 1-9 cigs/day

1374. Moderate smoker - 10-19 cigs/d

1375. Heavy smoker - 20-39 cigs/day

1376. Very heavy smoker - 40+cigs/d

1377. Ex-trivial smoker (<1/day)

1378. Ex-light smoker (1-9/day)  
1379. Ex-moderate smoker (10-19/day)  
137A. Ex-heavy smoker (20-39/day)  
137B. Ex-very heavy smoker (40+/day)  
137C. Keeps trying to stop smoking  
137D. Admitted tobacco cons untrue ?  
137F. Ex-smoker - amount unknown  
137G. Trying to give up smoking  
137H. Pipe smoker  
137J. Cigar smoker  
137K. Stopped smoking  
137L. Current non-smoker  
137M. Rolls own cigarettes  
137N. Ex pipe smoker  
137O. Ex cigar smoker  
137P. Cigarette smoker  
137Q. Smoking started  
137R. Current smoker  
137S. Ex smoker  
137T. Date ceased smoking  
137V. Smoking reduced  
137X. Cigarette consumption  
137Y. Cigar consumption  
137Z. Tobacco consumption NOS  
137a. Pipe tobacco consumption  
137b. Ready to stop smoking  
137c. Thinking about stopping smoking  
137d. Not interested in stopping smoking  
137e. Smoking restarted  
137f. Reason for restarting smoking  
137g. Cigarette pack-years  
137h. Minutes from waking to first tobacco consumption

### ***Smoking cessation in last 12m***

6791. Health ed. - smoking  
67A3. Pregnancy smoking advice  
8B2B. Nicotine replacement therapy  
8CAL. Smoking cessation advice

8HTK. Referral to stop-smoking clinic  
13p% Smoking cessation milestones  
900% Anti-smoking monitoring admin.  
9N4M. DNA - Did not attend smoking cessation clinic  
9N2k. Seen by smoking cessation advisor  
8H7i. Referral to smoking cessation advisor  
67H1. Lifestyle advice regarding smoking  
8B3Y. Over the counter nicotine replacement therapy  
8B3f. Nicotine replacement therapy provided free  
745H. Smoking cessation therapy  
745H0 Nicotine replacement therapy using nicotine patches  
745H1 Nicotine replacement therapy using nicotine gum  
745H2 Nicotine replacement therapy using nicotine inhalator  
745H3 Nicotine replacement therapy using nicotine lozenges  
745Hy Other specified smoking cessation therapy  
745Hz Smoking cessation therapy NOS

### ***Alcohol consumption in last 12m***

136L. Alcohol intake within rec limit  
136K. Alcohol intake above rec limit  
136M. Current non drinker  
1367. Stopped drinking alcohol  
1361. Teetotaller

### ***Alcohol advice in last 12m***

6792. Health ed-alcohol  
67H0. Lifestyle adv re alcohol  
8CE1. Alcohol leaflet given  
8CAM. Patient advised about alcohol

### ***Dietary habits in last 12m***

13A1.-13B. Diet types

### ***Dietary advice in last 12m***

6799. Health ed - diet  
8CA4. Patient advised re diet  
8CA40 Pt advised re weight reducing diet

8CA4% Advice re: specific diets

8CE4. Diet leaflet given.

### ***Physical exercise in last 12m***

1381. Exercise physically impossible

1382. Avoids even trivial exercise

1383. Enjoys light exercise

1384. Enjoys moderate exercise

1385. Enjoys heavy exercise

1386. Competitive athlete

138% Exercise codes

### ***Exercise advice in last 12m***

6798. Health ed - Exercise

67H2. Lifestyle adv re exercise

8CA5. Patient advised re exercise

### ***Blood pressure reading in last 12m***

246% (except 246O., 246H., 246I., 246K., 246L., 246M.) O/E - blood pressure reading

### ***BMI recorded in last 12m***

In Height/Weight SDA:

22K% BMI codes

### ***Cervical cytology status in last 12m***

4K22% Cervical smear negative

4K2C. Smear NAD - no endocervic cells

4KA1. Vaginal vault smear negative

4KA3. Vaginal vault smear-atrophic

4KA4. Vaginal vault smear abnormal

6856. Ca cervix screen - up to date

6859. Ca cervix screen normal

685R. Liquid based cerv cytol screen

685B% Ca cervix screen normal

7E2A2 Papanicolau smear NEC

7E2A3 Vaginal vault smear

ZV862 [V]Cervix malignancy screening  
7E2A0 Exam fem gen tract UA & smear

**(excluding all cervical smear exceptions)**

6853. Ca Cervix screen - not wanted  
685L. Cervical smear refused  
8I6K. Cervical smear not indicated  
908Q. Cerv. Smear disclaimer received  
908S. Cervical smear defaulter  
685H. No smear - benign hysterectomy  
685I. No smear - amputation of cervix  
685K. no smear - no cervix  
908Y. No cerv smear requ - no uterus  
7E05.% Vaginal excision of uterus  
7E040 Abd hystercolpec inc periut ts  
7E042 Abdominal hysterocolpect NEC  
7E043 Total abdominal hysterect NEC  
7E046 Radical hysterectomy  
7E049 TAH and BSO  
7E04B Laparoscopic TAH and BSO  
7L0A% Clearance of pelvis

**Specific assessment of communication difficulties and sensory problems (hearing and vision)**

***Severity of learning disability recorded in last 12m***

Eu70. [X] Mild mental retardation  
Eu71. [X] Moderate mental retardation  
Eu72. [X] Severe mental retardation  
Eu73. [X] Profound mental retardation  
Eu7y% [X] Other mental retardation  
Eu7z% [X] Unspecified mental retardation

***Living arrangements in last 12m***

13F2. Lives alone - help available  
13F3. Lives alone - no help available  
13F61 Lives in a nursing home  
13F71 Lives in a welfare home

13F73 Lives in a childrens home  
13FH. Lives with relatives  
13FK. Lives in a residential home  
13FX. Lives in care home

***Speech problems recorded in last 12m***

1B91. No speech problem  
1B92. Has a stammer / stutter  
1B93. Has difficulty with speech  
1B94. Speech limited

***Assessment of communication skills recorded in last 12m***

13o.. Communication skills

***Visual impairments recorded in last 12m***

3123. Visual testing normal  
668B. Poor visual acuity  
F48% Visual disturbances  
F49% Blindness and low vision  
1B72. Diplopia / double vision  
1B73. Flashing lights seen  
1B74. Floaters seen  
1B75. Loss of vision  
1B76. Temporary visial disturbance  
1B77. Deteriorating vision  
1B78. Scotopic sensitivity  
1B79. Visual perceptual weakness  
1B7A. Patient concern about eyesight.  
1B7Z. Visual symptom NOS

***Hearing impairments recorded in last 12m***

3133. Auditory/vestib. Test normal  
1C12. Hearing difficulty  
1C13. Deafness  
F59% Hearing loss

### ***Difficulty in swallowing in last 12m***

- 1942. Difficulty swallowing solids
- 1943. Difficulty swallowing liquids
- R0720 [D] Difficulty in swallowing

### ***Gastro-oesophageal reflux disease in last 12m***

- J1011 Reflux oesophagitis
- J10y4 Oesoph reflux no oesophagitis
- 1857. Gastric reflux

### ***Feeding problems in last 12m***

- 1634. Feeding problem due to illness
- 163Z. Feeding problem NOS
- R033. [D]Feeding difficulties

### ***Incontinence in last 12m***

- 1A23. Incontinence of urine
- 19E3. Incontinent of faeces
- 16F.. Double incontinence

#### **Constipation**

- 19C2. Constipated
- 19CZ. Constipation NOS
- J520% Constipation - functional

### ***Behavioural problems or other mental illness in last 12m***

#### **Behavioural Problems**

- E2C% Disturbance of conduct NEC
- Z40% [V]Mental/behavioural problems
- 1B1X. Behavioural problem

#### **Other mental illness**

- E10% Schizophrenic disorders
- E110% Manic disorder, single episode
- E111% Recurrent manic episodes
- E1124 Single major depressive episode, severe, with psychosis
- E1134 Recurrent major depressive episodes, severe, with psychosis
- E114% Bipolar affective disorder, currently manic

E115% Bipolar affective disorder, currently depressed  
E116% Mixed bipolar affective disorder  
E117% Unspecified bipolar affective disorder  
E11y. Other and unspecified manic-depressive psychoses  
E11y0 Unspecified manic-depressive psychoses  
E11y1 Atypical manic disorder  
E11y3 Other mixed manic-depressive psychoses  
E11yz Other and unspecified manic-depressive psychoses NOS  
E11z. Other and unspecified affective psychoses  
E11z0 Unspecified affective psychoses NOS  
E11zz Other affective psychosis NOS  
E12% Paranoid states  
E13.. Other nonorganic psychoses  
E130. Reactive depressive psychosis  
E131. Acute hysterical psychosis  
E132. Reactive confusion  
E133. Acute paranoid reaction  
E134. Psychogenic paranoid psychosis  
E13y% Other reactive psychoses  
E13z. Nonorganic psychosis NOS  
E2122 Schizotypal personality  
Eu2.. [X]Schizophrenia, schizotypal and delusional disorders  
Eu20% [X]Schizophrenia  
Eu21. [X]Schizotypal disorder  
Eu22% [X]Persistent delusional disorders  
Eu23% [X]Acute and transient psychotic disorders  
Eu24. [X]Induced delusional disorder  
Eu25% [X]Schizoaffective disorders  
Eu2y. [X]Other nonorganic psychotic disorders  
Eu2z. [X]Unspecified nonorganic psychosis  
Eu30. [X]Manic episode  
Eu300 [X]Hypomania  
Eu301 [X]Mania without psychotic symptoms  
Eu302 [X]Mania with psychotic symptoms  
Eu30y [X]Other manic episodes  
Eu30z [X]Manic episode, unspecified  
Eu31. [X]Bipolar affective disorder  
Eu310 [X]Bipolar affective disorder, current episode hypomanic

- Eu311 [X]Bipolar affective disorder, current episode manic without psychotic symptoms
- Eu312 [X]Bipolar affective disorder, current episode manic with psychotic symptoms
- Eu313 [X]Bipolar affective disorder, current episode mild or moderate depression
- Eu314 [X]Bipolar affective disorder, current episode severe depression without psychotic symptoms
- Eu315 [X]Bipolar affective disorder, current episode severe depression with psychotic symptoms
- Eu316 [X]Bipolar affective disorder, current episode mixed
- Eu317 [X]Bipolar affective disorder, currently in remission
- Eu31y [X]Other bipolar affective disorders
- Eu31z [X]Bipolar affective disorder, unspecified
- Eu323 [X]Severe depressive episode with psychotic symptoms
- Eu333 [X]Recurrent depressive disorder, current episode severe with psychotic symptoms

### ***Reduced mobility in last 12m***

- 13CD. Mobility very poor
- 13CE. Mobility poor
- R00A. [D] Poor mobility
- ZV4L0 [V]Reduced mobility

### ***Osteoporosis***

- N330% Osteoporosis
- NyuB0 [C]Oth osteoporosis+patalog
- NyuB1 pX[Other osteoporosis
- NyuB2 [X]Osteoporosis / oth disords CE

## **ALD patients with Down's, Tuberous sclerosis, Fragile X syndrome or Autism**

### ***Downs syndrome***

- PJ0% Down's Syndrome

### ***Tuberous sclerosis***

- PK5% Tuberous sclerosis

### ***Fragile X syndrome***

PJyy4 Fragile X syndrome

PJyy2 Fragile X chromosome

### ***Autism***

E140% Infantile Autism

Eu840 [X] Childhood autism

Eu841 [X] Atypical autism

## ALD patients with a diagnosis of other causes

All other causes (excepting Downs syndrome, tuberous sclerosis, Fragile X and autism), including:

Birth trauma, meningitis, head injury, brain tumour, congenital hydrocephalus, microcephalus, phenylketonuria, Prader-Willi syndrome, Smith-Magenis syndrome, Rett syndrome, congenital rubella and unknown or unspecified cause.

### **Birth Trauma**

Q20% Birth Trauma

### **Meningitis**

A0221 Salmonella meningitis  
A130% Tuberculous meningitis  
A206. Plague meningitis  
A360. Meningococcal meningitis  
A42% Meningitis due to enterovirus  
A4z0. Lymphocytic Choriomeningitis  
A4z1. Adenoviral meningitis  
A530. Herpes zoster with meningitis  
A54x1 Herpes simplex meningitis  
A553. Measles comlic by meningitis  
A721. Mumps meningitis  
A9042 Congenital syphilit meningitis  
A9180 Acute second. Syph. Meningitis  
A942. Syphilitic meningitis  
A98y1 Gonococcal meningitis  
AA0y0 Leptospiral meningitis  
ABZyZ Candidal meningitis  
AB32. Coccidioidal meningitis  
AB401 Histop. Capsulatum + meningitis  
AB411 Histop. Duboisii + meningitis  
AB652 Cryptococcal meningitis  
Ayu8C [X] Other viral meningitis  
Ayu8D [X] Viral meningitis, unspecifd  
F00% Bacterial meningitis  
F01% Meningitis - other organisms

F02% Meningitis - unspecified cause  
F2924 Chemical meningitis  
Fyu00 [X] other bacterial meningitis  
Fyu01 [X] Meningitis in viral dis CE  
Fyu02 [X] Meningitis in mycoses CE  
Fyu04 [X] Meningitis / oth specf cause

### **Head Injury**

S64% Intracranial injury NOS  
SC20% Late-effect-intracran. Inj. -no#

### **Brain Tumour**

B51% Mailg neop brain  
B5830% 2-malig neop brain  
B7F0% Benign neoplasm brain  
B9250% Uncert. Neopl. Brain  
BA06% Brain neopl. Unspecified nature.

### **Encephalitis**

A1303 TB Meningoencephalitis  
A1360 Tuberculous encephalitis  
A361. Meningococcal encephalitis  
A4y0. Enteroviral encephalitis  
A4zy1 Acute necrotising encephalitis  
A4zy2 Epidemic encephalitis  
A4zy3 Encephalitis lelhargica  
A4zy4 Von Economo's encephalitis  
A4zy5 Adenoviral encephalitis  
A4zz. Non-arthrop CNS viral dis NOS  
A520. Postcaricella encephalitis

A5314 Zoster encephalitis  
 A543. Herpetic meningoencephalitis  
 A550. Postmeasles encephalitis  
 A620. Japanese encephalitis  
 A621. Western equine encephalitis  
 A622. Eastern equine encephalitis  
 A623. St Louis encephalitis  
 A624. Australian encephalitis  
 A625. California viral encephalitis  
 A62y. Other sp mosquito virus enceph  
 A63% Tick-borne viral encephalitis  
 A64.. Viral enceph. From other arthr  
 A722. Mumps encephalitis  
 A9041 Congenital syphil. Encephalitis  
 A94y0 Syphilitic encephalitis  
 AD00. Toxoplasma  
 meningoencephalitis  
 AE20. Late effect viral encephalitis  
 Ayu8A [X] Oth specfd vir encephalitis  
 Ayu8B [X] Unspecfd viral encephalitis  
 AyuJ8 [X] Sequelae/viral encephalitis  
 F030% encephalitis in viral dis. EC  
 F031% encephalitis-rickettsial EC  
 F032% encephalitis-protozoal EC  
 F033% encephalitis-other infect. EC  
 F034% Postimmunisation encephalitis  
 F035% Postinfectious encephalitis  
 F036% Toxic encephalitis  
 F03y% Other causes of encephalitis  
 F03z% encephalitis NOS

### ***Congenital hydrocephalus***

F23% Congenital hydrocephalus

P10... Spina bifida + hydrocephalus

### ***Microcephalus***

P21% Microcephalus

### ***Phenylketonuria***

C301% Phenylketonuria

### ***Prader-Willi Syndrome***

PKy93 Prader - Willi syndrome

### ***Smith-Magenis Syndrome***

PK333. Smith-Magenis syndrome

### ***Rett Syndrome***

Eu842 [X] Rett's Syndrome

### ***Congenital Rubella***

Q400. Congenital rubella

### ***Unknown or unspecified cause***

Eu81% [X] Specif scholastic devel dis

## **ALD patients with Downs syndrome and a thyroid function test in last 12m**

ALD patients with:

PJ0% Down's Syndrome

And a thyroid function test in the last 12 months:

442% Thyroid test codes

## **ALD patients with tuberous sclerosis and had BP taken and renal function tested in last 12m**

ALD patients with tuberous sclerosis:

PK5% Tuberous sclerosis

And with a blood pressure record in the last 12 months:

246% (Except 246O., 246H., 246I., 246K., 246L., 246M.) O/E - blood pressure reading

And renal function test in the last 12 months:

44J3% Serum creatinine

44JC. Corrected plasma creatinine level

44JD. Corrected serum creatinine level

44JF. Plasma creatinine level

44J% Renal function

451E. GFR calculated abbreviated MDRD

451F. Glomerular filtration rate

451G. GFR calculated abbreviated MDRD adj for African American origin

---

# Alcohol

## ***Patients recorded as teetotal***

With no record of Alcohol use or existing issue:

1361 Teetotaller

## ***Alcohol use***

136% Alcohol consumption codes

68S.. Alcohol consumption screen

## ***Existing issue***

9NN2. Under care community alcohol team

## **Patients screened using FAST or AUDIT C**

### **Patients over 16 years screened using FAST or Audit C assessment tool since 1 April 2009 (excluding teetotal patients)**

388u. FAST alcohol screening test

9k16. Alcohol screening - FAST completed

### **Patients over 16 years declined the FAST or Audit C assessment tool in last 12 months**

8IA7. Alcohol consumption screening test declined

9k19. Alcohol Assessment declined

9k17 Alcohol screen - AUDIT C completed

## **Brief interventions**

### **Patients over 16 years who have had brief interventions after initial assessment**

9k1A. Brief intervention for excessive alcohol consumption completed

### **Patients over 16 years who have declined brief interventions after initial assessment in last 12 months**

8IAF. Brief intervention declined

### **Patients over 16 years who had a follow up or NO follow up after 10 months of brief intervention**

#### **Follow Up**

ZV6D6 [V]Alcohol abus counsel+surveil

**Patients over 16 years with a referral to other services in last 12 months**

9K14 (alcohol counseling by other agencies) = North Lanarkshire Council  
on Alcohol or Liber8 (South Lanarkshire)

8HkF (referral to substance misuse service) = South Lanarkshire  
Substance Misuse Teams

8Hh1 (self referral to substance misuse service) = South Lanarkshire  
Substance Misuse Teams

8HHe (referral to community drug and alcohol team) = Lanarkshire  
Alcohol and Drug Service (South Lanarkshire)

8HkG (referral to specialist alcohol treatment service) = North Lanarkshire  
Integrated Addiction Services

13Y8 (alcoholics anonymous) = local alcoholic anonymous service

---

## Anti-coagulation

### All patients on Warfarin therapy in the last 12 months

Prescriptions for Warfarin

### All patients with relevant diagnosis and warfarin in past 12 months

#### *Relevant Diagnosis*

- G401 Pulmonary embolism
- G4010 Post operative PE
- G4011 Recurrent pulmonary embolism
- G801% Proximal deep vein thrombus
- G800% Calf vein thrombus
- Recurrence of VTE when not on warfarin - G401%, G801% or G800% after warfarin therapy stopped
- 66Q5 Warfarin therapy stopped
- Recurrence of VTE when on warfarin - G401%, G801%, G800% after warfarin therapy started
- 66Q6 Warfarin therapy started
- D30A Thrombophilia
- N006 Antiphospholipid syndrome
- G573. Atrial fibrillation / flutter
- G5730 Atrial fibrillation
- G5731 Atrial flutter
- G5733 non-rheumatic atrial fibrillation
- G573z Atrial fibrilat./ flutter NOS
- G01% Rheumatic fever - heart involved
- G020 Rheumatic chorea-heart involv.
- G1.. Chronic rheumatic heart disease
- G10% Chronic rheumatic pericarditis
- G14.. Other endocardial rheum. Dis.
- G14z. Rheumatic endocarditis NOS
- G1y% Other specified chronic rheumatic disease
- G1yz Chronic rheumatic heart disease NOS
- P5% Bulbus cordis and cardiac septal closure anomalies
- P6% Other congenital heart abnormalities
- Cyu13 [X]Other thyrotoxicosis
- F3954 Myopathy + thyrotoxicosis

C02% Thyrotoxicosis  
 Q443. Neonatal thyrotoxicosis  
 G11% Mitral valve diseases  
 G12% Rheumatic aortic valve disease  
 G13% Diseases of mitral+aortic valve  
 G14% Tricuspid valve disease NEC  
 7L1H% External resuscitation  
 G30A. Mural thrombosis  
 Gyu5N [X] Other restrictive cardiomyopathy  
 Gyu5P [X] Other cardiomyopathy  
 Gyu5T [X] Cardiomyopathy/o disease CE  
 L1865 Cardiomyopathy in puerperium  
 G55% Cardiomyopathy  
 79102 Prosthetic replace mitral valve  
 79112 Prosthetic replace aortal valve  
 79122 Prosthetic replace trucuspid valve  
 79132 Prosthetic replace pulmonary valve  
 79142 Prosthetic replace heart valve NEC  
 ZV45H [V]Presence prosth heart valve  
 G65% Transient cerebral ischaemia  
 F423% Retinal vascular occlusion  
 G74% Arterial embolism/thrombosis  
 7A102 Arterial grafts (and 7A103, 7A182, 7A185, 7A1A7, 7A200, 7A26E,  
 7A26F, 7A41F, 7A48E, 7A499, 7A522, 7A523, 7A606, 7A60Z, 7A660,  
 7A6D7, 7A6D8, 7A6D9, 7A6H%, 7A6Z1, 7A6Z3)  
 G340% Coronary atherosclerosis  
 G342. Atherosclerotic cardiovasc. Dis  
 7920% Saphen v graft repl coronary art  
 7921% Other autograft rep coronary a  
 7922% Allograft replac coronary art  
 79275 Open angioplasty coronary art  
 79293 Rotary coronary angioplasty  
 79294 Insert coronary art stent  
 79295 Insert drug-elut cor art stent

## Warfarin monitoring

All patients on Warfarin therapy with Warfarin monitoring in the last 12 months

66Q.. Warfarin monitoring

## Target INR

All patients on Warfarin therapy with target INR set in last 12 months

66Q7. Target international normalised ratio

All patients on Warfarin therapy with target INR results in last 12 months

42QE. International normalised ratio

## Seen in Clinic

All patients on Warfarin therapy seen in **GP Anticoagulation Clinic** in last 12 months

9NkE Seen in general practitioner anticoagulation clinic

All patients on Warfarin therapy seen in **Community Anticoagulation Clinic** in last 12 months

9NkC Seen in community anticoagulation clinic

---

## Care homes

### All patients admitted to care homes in the last 12 months

- 13FX. Lives in care home
- 13FV. Lives in a welfare home
- 13FT. Lives in an old peoples home

### *Admission examination within 7 days of admission to care home*

- 6991. Geriatric home admission exam

### *Influenza Vaccination*

- 65E.. Influenza vaccination
- 65E0. First pandemic influenza vaccination
- 65E1. Second pandemic influenza vaccination
- ZV048 [V]Influenza vaccination
- 65E2. Influenza vacc othr hlth prov
- 65E3. 1st pan flu vac othr hlth prov
- 65E4. 2nd pan flu vac othr hlth prov

Excepting:

- 14LJ. H/O: influenza vaccine allergy
- U60K4 [X]Influenza vaccine causing adverse effects in therapeutic use
- ZV14F [V]Personal history of influenza vaccine allergy
- 8I2F. Influenza vaccination contraindicated
- 8I6D. Influenza vaccination not indicated
- 68NE. No consent - influenza imm.
- 90X5. Influenza vaccination declined

### *Pneumococcal Vaccination*

- 6572% Pneumococcal Vaccination

Excepting:

- 657K. Booster pneumococcal vaccinatn
- 8I2E. Pneumococcal vaccin contraind
- 8I6P. Pneumococcal vacc not indicate
- 657P. Pneum vacc othr health providr

### *Anticipatory care plan*

- 661M. Clinical Management plan agreed

661N. Clinical management plan reviewed

8CS.. Agreement of care plan

---

## **Carers**

### ***Carer codes***

918G. Is a carer

918W. Carer of person with learn disab

918X. Carer of pers with physi disab

918Y. Carer of person with sens impairm

918a. Carer of pers with subs misuse

918b. Carer of pers with alco misuse

918c. Carer of pers with chron disea

918d. Carer pers with ment heal prob

### ***Is no longer a carer***

Latest record:

918f. Is no longer a carer

---

# COPD ES

## Patients on COPD register

### *Diagnosis of COPD*

- H3... Chronic obstructive pulmonary disease
- H31% (except H3101, H31y0, H3122) Chronic bronchitis
- H32% Emphysema
- H36..-H3z.. Mild chronic obstructive pulmonary disease
- H37.. Moderate chronic obstructive pulmonary disease
- H38.. Severe chronic obstructive pulmonary disease
- H3y.. Other specified chronic obstructive airways disease
- H3y0. Chronic obstructive pulmonary disease with acute lower respiratory infection
- H3y1. Chronic obstructive pulmonary disease with acute exacerbation, unspecified
- H3z.. Chronic obstructive airways disease NOS

### *COPD Severity*

- H36.. Mild chronic obstructive pulmonary disease
- H37.. Moderate chronic obstructive pulmonary disease
- H38.. Severe chronic obstructive pulmonary disease

## Mild COPD

### **Number of patients categorised as "Mild" (MRC or FEV1 criteria)**

- H36.. Mild chronic obstructive pulmonary disease

### **Of patients classified as "Mild", how many are exception coded (number and percentage of mild patients at (2))**

- H36.. Mild chronic obstructive pulmonary disease
- and
- 9h5. Excepted from COPD quality indicators
  - 9h51. Excepted from COPD quality indicators: Patient unsuitable
  - 9h52. Excepted from COPD quality indicators: Informed dissent

### **Number of patients classified as "Mild" who are engaged in self-management programme**

- H36.. Mild chronic obstructive pulmonary disease
- and
- 66YI. COPD Self-management programme

## **Moderate and severe COPD**

### **Number of patients categorised as "moderate"**

H37.. Moderate chronic obstructive pulmonary disease

### **Number of patients categorised as "Severe"**

H38.. Severe chronic obstructive pulmonary disease

H39.. Very severe chronic obstructive pulmonary disease

---

# Diabetic ES

## Patients on diabetic register

C10E% Type 1 diabetes mellitus

C10F% Type 2 diabetes mellitus

Excluding C10F8 Reaven's syndrome

Excluding those patients whose LAST Diabetes Register entry shows "Removed From Register" before the end of last month, and since the latest diagnosis code

Excluding those with one of the following Read codes for Diabetes Resolved recorded before the end of last month and since the latest diagnosis

212H. Diabetes resolved

21263 Diabetes resolved

## Patients with Type 2 diabetes

C10F% Type 2 diabetes mellitus(excluding C10F8 Reaven's syndrome)

### Type 2 diabetics whose main locus of care is in hospital

C10F% Type 2 diabetes mellitus

and

66AU. Diabetes care by hospital only

### Type 2 diabetics whose main locus of care is in practice care

C10F% Type 2 diabetes mellitus

and

66AP. Diabetes: Practice Programme

### Type 2 diabetics whose main locus of care is not recorded as practice or hospital in last 12m

66AQ Diabetes:shared care programme

### Type 2 diabetics with a record of an annual review, including sharing of recent results, in this financial year

C10F% Type 2 diabetes mellitus

and one or more of the following:

66AS. Diabetic annual review

66A.. Diabetic monitoring

90LA Diabetes monitor: check done

### **Type 2 diabetics with NO annual review**

C10F% Type 2 diabetes mellitus

with no record of a review of one of the following:

66AS. Diabetic annual review

66A.. Diabetic monitoring

### **Type 2 diabetics who have been exception coded**

C10F% Type 2 diabetes mellitus

who have been exception coded with one or more of the following:

9h4% Excepted from diabetes quality indicators

9h41. Excepted from diabetes quality indicators: Patient unsuitable

9h42. Excepted from diabetes quality indicators: Informed dissent

or with

9OL2. Refuses diabetes monitoring

9OL3. Diabetes monitoring default.

### **Type 2 diabetics referred to community education services**

C10F% Type 2 diabetes mellitus

and one or more of the following:

679R. Patient offered diabetes structured education programme.

8Hj3. Referral to DAFNE diabetes structured education programme.

8Hj4. Referral to DESMOND diabetes structured education programme.

8Hj5. Referral to XPERT diabetes structured education programme.

8Hj0. Referral to diabetes structured education programme.

9OLH. Attended DAFNE diabetes structured education programme.

9OLB. Attended diabetes structured education programme.

9OLL. XPERT diabetes structured education programme completed.

9OLJ. DAFNE diabetes structured education programme completed.

9OLK. DESMOND diabetes structured education programme completed.

9OLF. Diabetes structured education programme completed.

9OLM. Diabetes structured education programme declined

9NiC. Did not attend DAFNE diabetes structured education programme.

9NiA. Did not attend diabetes structured education programme.

9NiE. Did not attend XPERT diabetes structured education programme.

8I82. Did not complete DAFNE diabetes structured education programme.

8I83. Did not complete DESMOND diabetes structured education programme.

8I81. Did not complete diabetes structured education programme

8I84. Did not complete XPERT diabetes structured education programme.

**Type 2 diabetics with a new referral to secondary care in past year**

C10F% Type 2 diabetes mellitus

and one or more of the following:

8H41. General medical referral

8H44. Cardiological Referral

8H4F. Referral to diabetologist

8H4L. Referred to nephrologist

8H4K. Referred to endocrinologist

8H4Q. Ref paediatric endocrinologist

8H4N. Ref to paediatric cardiologist

8H4Z. Referral to physician NOS

8H5G. Refer Cardio thoracic surgeon

8Hti. Refer multidis diabetic clinic

8HVU. Private referral diabetologist

8HVC. Private referral to vascular surgeon

8H7C. Refer diabetic liaison nurse

8H7f. Referral to diabetes nurse

8H76. Refer to dietician

8HHE. Refer to paediatric dietician

8H7r. Refer to diabetic foot screen

8HTk. Referral to diabetic eye clinic

8HI1. Ref diabetc retinopathy screen

---

## **Ethnicity and Interpreter Needs**

### **All patients with ethnicity recorded**

9S13. White Scottish  
9i20. English- ethnic category 2001 census  
9i22. Welsh - ethnic category 2001 census  
9i24. Northern Irish- ethnic category 2001 census  
9S10. White British  
9S11. White Irish  
9i2E. Gypsy/Romany-ethnic category 2001 census  
9i2F. Polish- ethnic category 2001 census  
9S12. Other white ethnic group  
9SB.. Other ethnic, mixed origin  
9S7.. Pakistani  
9S6.. Indian  
9S8.. Bangladeshi  
9S9.. Chinese  
9SH.. Other Asian ethnic group  
9S3.. Black African  
9S2.. Black Caribbean  
9S41. Black British  
9S4.. Black, other, non-mixed origin  
9SJ.. Other ethnic group  
9SD.. Ethnic group not given - patient refused

### **All patients with interpreter needs required**

9NU% Need for interpreter  
9Nm% Other interpreter needed  
9Nn% Further interpreter needed  
9NUw. Interpreter needed- British Sign Language  
9NUx. Interpreter needed- Makaton Sign language

---

## **IUCD (searching only female population)**

### ***IUCD fitting in last 12 months (excluding any fittings removed)***

615% Intra-uterine contr. Device  
7E09% IUCD procedure  
61K% Subcutaneous contraceptive  
7GAA Insertion of Norplant  
7G2h% Removal of Norplant  
6151. IUD fitted  
6153. IUD re-fitted  
614N. IUCD fit by another GP practice  
7E090 IUCD introduction  
7E094 Introduction of Minera coil  
14V6. H/O: IUCD present  
61KA. Insert subcut contraceptive

excluding any fittings removed, with a removal record after the fitting date:

6152. IUD removed  
7E092 IUCD removal NEC  
7E093 Displaced IUCD removal  
7E095 Removal of Mirena coil  
7G2H5 Removal of Norplant

### ***Implanon fitted in last 12 months***

7H2AG. Insertion of Implanon  
61KA. Insertion of subcutaneous contraceptive

### ***IUCD fitting removed in last 12m***

6152. IUD removed  
7E092 IUCD removal NEC  
7E093 Displaced IUCD removal  
7E095 Removal of Mirena coil  
7G2H5 Removal of Norplant

### ***Subcutaneous contraceptive removed in last 12m***

7G2HA Removal of Implanon

***IUCD fitted and who had a chlamydia screening in last 12m***

43U% Chlamydia antigen test  
43eJ. Chlamydia trachomatis IgG lev  
43h0. Chlamydia trachomatis PCR  
43n9. Chlamydia trachomatis IgA lev  
46H7. Urine chlamydia trach test neg  
4JDM. Chlamydia serology  
4JK9. Endocervical chlamydia swab  
4JKA. Urethral chlamydia swab  
4JKD. LVS for chlamydia taken by pt

***IUCD check or review in last 12m***

6154. IUD checked - no problems  
6155. IUD checked - problems  
6156. IUD - defaulted from check  
615F. IUD check  
615L. IUCD 6 week check  
ZV25F [V]IUD check  
61KB. check of subcut contraceptive.  
615K. IUCD annual review  
615M. IUCD annual review by phone

***IUCD fitted and NO check or review in last 12m***

Read codes as above but will only search on patients  
with IUCD fitted in last 12M

---

## Minor Injuries

### All patients with read code 9kB.. recorded in the last 12 months

9kB.. Minor injury - enh serv admin

### All patients with read code 9kB.. recorded in the last 12m and the nature of minor injury recorded in the last 12 months

#### Minor Injuries Consultation

9Na1. Consultation for minor injury

9Na3. Follow-up consult minor injury

#### Cuts & lacerations to Head/Face

S80% Open wound of ocular adnexa

S82% Open wound of ear

S83% Other open wound of head

S8z.. Open wound head/neck/trunk  
NOS

#### Cuts & lacerations to the Neck/Trunk

S84% Open wound of neck

S85% Open wound of chest wall

S86% Open wound of back

S87% Open wound of buttock

S88% Open wound ext. genital organs

S89% Other open wounds excl. limbs

S8A% Open wounds involv head wth  
nck

S8z.. Open wound head/neck/trunk  
NOS

#### Cuts & Lacerations to the Shoulder/Arm/Forearm/Wrist/Hand

S90% Open wound shoulder/upper  
limb

S91% Open wound  
elbow/forearm/wrist

S92% Open wound hand excl.  
finger(s)

S93% Open wound finger(s) or thumb

S94% Multiple/unsp. Open wound arm

S9z.. Open wound upper limb NOS

#### Cuts & Lacerations to the hip/Thigh/Leg/Ankle/Foot

SA0% Open wound hip and thigh

SA1% Open wound knee/leg/ankle

SA2% Open wound foot excl. toe(s)

SA3% Open wound toe(s)

SA4% Multiple/unsp. Open wound leg

SA9% Multipl open wounds/hip+thigh

SAA% Open wnds/multireg/lwr limb(s)

SAz.. Open wound of lower limb NOS

#### Bruising & Contusions to the Head/Face

SE00% Contusion, forehead

SE01% Contusion, cheek

SE02% Contusion, nose

SE03% Contusion, lip

SE04% Contusion, gum

SE05% Contusion, ear

SE06% Bruise-mandibular joint area

SE09% Contusion, scalp

SE0z. Contusion face, scalp+neck NOS

SE10% Black eye NOS

SE11% Contusion, eyelids+perioc tiss

SE12% Contusion, orbital tissues  
SE1z% Contusion, eye NOS

### **Bruising & Contusions to the Neck/Trunk**

SE07% Contusion, throat  
SE08% Other contusion, neck  
SE20% Contusion, breast  
SE21% Contusion, chest wall  
SE22% Contusion, abdominal wall  
SE23% Contusion, back  
SE24% Contusion, genital organse  
SE25% Contusion of pelvic region  
SE2y% Contusion, multi sites trunk  
SE2z. Contusion, trunk NOS

### **Bruising & contusions o the Shoulder/Arm/Forearm/Wrist/Hand**

SE30% Contusion, shoulder/upper arm  
SE31% Contusion, elbow or forearm  
SE32% Contusion, wrist or hand  
SE33% Contusion, finger  
SE3y% Contusion upr limb, mlti sites  
SE3z. Contusion upper limb NOS

### **Bruising & Contusions to the Hip/Thigh/Leg/Ankle/Foot**

SE40% Contusion, hip and thigh  
SE41% Contusion, knee and lower leg  
SE42% Contusion, ankle+foot, exc toe(s)  
SE43% Contusion, toe  
SE44% Contusion, lwr limb, mlti sites  
SE45. Contusion, lower limb NOS  
SE46% Traumatic haematoma

### **Sprains & Strains of the Shoulder/Arm/Wrist**

S50% Sprain shoulder/upper arm  
S51% Sparin elbow/forearm

S52% Sprain wrist/hand

### **Sprains & Strains of the Hip/Knee/ankle/Foot**

S53% Sprain hip/thigh  
S54% Sprain knee/leg  
S55% Sprain ankle/foot

### **Dislocations & Subluxations to the Upper Phalanges**

S440% Cls traumtc disloctn digit  
S441% Opn traumatic disloctn digit  
S442% Cls trmic subluxation digit  
S443% Open trmtc subluxation digit  
S44z. Dislocation finger/thumb NOS

### **Dislocations & Subluxations to the Lower Phalanges**

S4801 Cls tramic tarsal dslctn, unsp  
S4802 Cls trm dslctn, midtarsal jt  
S4803 Cls trm dslc, tarso-metatrsl jt  
S4804 Cls trm metatarsal dslcln, unsp  
S4805 Cl trm dsl, mtatro-phln jt, sgl  
S4806 Cl traum dslc toe, IPJ, single  
S4807 Cl tr dsl, mtatrs-phlng jt, mlti  
S4808 Cl traum disloc toe, IPJ, multi  
S4811 Opn trmtc tarsal dslctn, unsp  
S4812 Opn trmtc dislctn, midtarsal jt  
S4813 Opn trm dslc, tarso-metatrsl jt  
S4814 Opn trm metatarsal dslc, unsp  
S4815 Op trm dsl, mtatrso-phln jt, sgl  
S4816 Open traum disloc toe, IPG, sing  
S4817 op tr dsl, mtatrso-phln jt,mlti  
S4818 Open traum disloc toe, IPJ, multi  
S4821 Cls trm sublux, tarsal jt, unsp  
S4822 Cls trmtc sublix, midtarsal jt  
S4823 Cls trm sublix, trso-mtatrsl jt  
S4824 Cl tr sublx, mtatrs-phln jt, sgl

S4825 Cl traum sublux toe, IPJ, single  
S4826 Cl tr sblx, mtatrs-phln jt, multi  
S4831 Opn trmtc sublux, tarsal jt, unsp  
S4832 Opn trmtc sublux, midtarsal jt  
S4833 Op trm sublix, tarso-mtatrsl jt  
S4834 Op trm sublx mtatrs-phl jt, sgl  
S4835 Opn trm sublux toe, IPJ, single  
S4836 Op tr sblx, mtatrs-phln jt, mlti  
S4837 Op traum sublix toe, IPJ, multi

### **Burns & Scalds to the Head/Scalp**

SH110 Superficial burn-face/hd unsp  
SH116 Superficial burn-scalp  
SH11x Superficial burn-head.neck  
SH11z Superficial burn-head/neck NOS  
SH120 S/Pt thick burn-face/head unsp.  
SH126 Sup/partial thick burn-scalp  
SH12x Part thick burn-mult.head/neck  
SH12z Part thick burn-head/neck NOS

### **Burns & Scalds to the Trunk**

SH211 Superficial burn-breast  
SH212 Superficial burn-chest wall  
SH213 Superficial burn - abdominl wall  
SH214 Superficial burn-back ex.butt.  
SH215 Superficial burn-buttock  
SH217 Corrosion/1st degree/trunk  
SH21x Superficial burn-multipl, trunk  
SH21z Superficial burn-trunk NOS  
SH221 Sup/partial thick burn-breast  
SH222 Sup/part thick burn-chest wall  
SH223 S/pt thick burn- abdominal wall  
SH224 S/Pt thick burn-back exc butt  
SH225 Sup/partial thick burn-buttock  
SH22x Part thick burn-multiple, trunk  
SH22z Part thickness burn-trunk NOS

### **Burns & Scalds to the Shoulder/Arm/Forearm/Wrist**

SH310 Superficial burn-arm, unspecif  
SH311 Superficial burn-forearm  
SH312 Superficial burn-elbow  
SH313 Superficial burn-upper arm  
SH314 Superficial burn-axilla  
SH315 Superficial burn-shoulder  
SH316 Superficial burn-Scapular regn  
SH31x Superficial burn-mult.arm site  
SH31z Superficial burn-arm NOS  
SH417 Superficial burn-wrist  
SH41x 1st degr.burn-mult,wrist/hand  
SH41z Superficial burn-wrist/hnd NOS  
SH320 S/Pt thick burn-arm, unspecif  
SH321 Sup/partial thick burn-forearm  
SH322 Sup/partial thick burn-elbow  
SH323 Sup/partial thick burn-upper arm  
SH324 Sup/partial thick burn-axilla  
SH325 Sup/part thick burn-shoulder  
SH326 S/Pt thick burn-scapular regn.  
SH32x Part thick burn-mult.arm sites  
SH32z Partial thickness burn-arm NOS  
SH427 Sup/partial thick burn-wrist  
SH42x Part thick burn-mult.wrst/hnd  
SH42z Part thick burn-wrist/hand NOS

### **Burns & Scalds to the Hip/Thigh/Leg/Ankle**

SH510 Superficial burn-leg, unspecif.  
SH513 Superficial burn-ankle  
SH514 Superficial burn-lower leg  
SH515 Superficial burn-knee  
SH516 Superficial burn-thigh  
SH51x Superficial burn-mult.site leg  
SH51z Superficial burn-leg NOS  
SH520 S/Pt thick burn-leg unspecif  
SH523 Sup/partial thick burn-ankle  
SH524 Sup/part thick burn-lower leg

SH525 Sup/partial thick burn-knee  
SH526 Sup/partial thick burn-thigh  
SH52x Part thick burn-mult.site leg  
SH52z Partial thickness burn-leg NOS

### **Head Injuries, including Concussion**

S6460 Minor head injury  
S646. Head injury  
S600. Concussion+no loss conscious

### **Eye Injuries**

S810. Ocular lacn.+no intraoc.prolap  
S811. Ocular lacn.+intraoc.prolapse  
S812. Eye rupture+partial tiss.loss  
S813. Avulsion of eye  
S814. Eye laceration, unspecified  
S815. Magnetic FB eyeball penetratn.  
S816. Nonmagn.FB eyeball penetration  
S817. Ocular penetraion unspecified  
S818. Intraocular foreign body  
S81z. Open wound of eyeball NOS  
SD81. Superficial injury-cornea  
SD82. Superficial injury-conjunctiva  
SD9z. Superficial eye injuries NOS  
SH02. Alkaline burn-cornea/conj.sac  
SH03. Acid burn-cornea/conjunct.sac  
SH04. Other burn-cornea/conjunct.sac  
SH05. Burn+eyeball rupture/destructn  
SH050 Cor/reslt rupt+destruct/eyeball  
SH0y. Burn - cornea NOS  
SH102 Unsp. Degr. Burn-eye  
SH112 Superficial burn-eye  
SH122 Sup/partial thick burn-eye

### **Superficial (non-penetrating) Ocular Foreign Bodies**

SG0% Foreign body on external eye

### **Minor Trauma to Hands/Upper limbs**

SD20. Abrasion-should/upp.arm,no inf  
SD21. Abrasion-should/upp.arm+infect  
SD30. Abrs/frct burn lw arm-no infct  
SD31. Abrasion-lower arm+infection  
SD40. Abrasin-hand, no infection  
SD41. Abrasion-hand+infection  
SD50. Abrasion-finger, no infection  
SD51. Abrasion-finger + infection  
SD22. Blister-should./upp.arm, no infection  
SD23. Blister-should/upp.arm+inf  
SD32. Bliser-lower arm, no infection  
SD33. Blister-lower arm+infection  
SD42. Blister-hand, no infection  
SD43. Blister-hand+infection  
SD52. Blister-finger, no infection  
SD53. Blister-finger + infection  
SD24. Ins.bte.nonv.up arm/shldr,-inf  
SD25. Ins.bte.nonv.upp arm/shldr+inf  
SD34. Ins.bte.nonv,-lower arm, no inf  
SD35. Ins.bte.nonv.-lower arm+infect  
SD44. Insect bite nonven-hand, no inf  
Sd45. Insect bite nonven-hand+inf  
SD54. Insect bite nonv-finger, no inf  
SD55. Insect bite nonven.-finger+inf  
SD28. Mult suprfc inj/should+upp arm  
Sd38. Multip superficial inj/forearm  
SD39. Multip superfic inj/wrist+hand  
SD2y. Sup.inj.-up arm/shr NOS, no inf  
Sd2z. Sup.inj.-upper arm NOS+infectn  
SD3y. Superf.inj.-low.arm NOS, no inf  
SD3z. Superf.inj-lower arm NOS +inf  
SD4y. Superf.inj.hand NOS, no inf  
SD4z. Superf.inj.-uamd NOS+infect.  
SD5y. Superfic.inj-finger NOS, no inf  
SD5z. Superfic.inj.-finger NOS+inf.

### **Minor Trauma to Lower Limbs/Feet**

SD60% Abrasion-leg, no infection  
SD61% Abrasion-leg+infection  
SD70% Abrasion-foot/toe, no infection  
SD71% Abrasion-foot/toe+infection  
SD62% Blister-leg, no infection  
SD63% Blister-leg+infection  
SD72% Blister-foot/toe, no infection  
SD73% Blister-foot/toe+infection  
SD64% Insect bite nonv.-leg, no infect  
SD65% Insect bite nonv.-leg+infectn.  
SD74% Ins.bte.nonv.-foot/toe, no inf  
SD75% Insect bite nonv.-foot/toe+inf  
SD68% Multip superfcl inj/hip+thigh  
SD69% Multip superficl inj/lower leg  
SD6y% Superfic.injury-leg NOS, no inf  
SD6z% Superfic.injury-leg NOS+infect

### **Foreign Bodies in Ear/Nose/Mouth**

SG1% Foreign body in ear  
SG2% Foreign body in nose  
SG50. Foreign body in mouth

### **Foreign Bodies in Tissue**

SD06% Splinter hd, no maj open wnd/infct  
SD07% Spliner hd-no mj opn wnd, infct  
SD16% Splinter-trunk, no infection  
SD17% Splinter-trunk+infection  
SD26% Splinter-upp arm/shldr, no inf.  
SD27% Splinter-upper arm/shldr+infect  
SD36% Splinter-lower arm, no infectn.  
SD37% Splinter-lower arm+infection  
SD46% Splinter-hand, no infection  
SD47% Splinter-hand+infection  
SD56% Splinter-finger, no infection

SD57% Splinter-finger+infection  
SD66% Splinter-leg, no infection  
SD67% Splinter-leg+infection  
SD76% Splinter-foot/toe, no infection  
SD77% Splinter-foot/toe+infection  
SD96% Splinter, no infection NOS  
SD97% Splinter+infection NOS  
SP243 Foreign body left in wound

### **Non-simple Domestic First Aid**

7G2D5 Cleaning of skin wound NEC  
8311. Bandaging  
8312. Application of sling  
8314. Immobilisation by bandaging  
8315. Immobilisation by sling  
8316. Multi-layer compress bandaging  
835.. Compression  
8393% Removal of support  
83A% Application of strapping  
8613. Hot packs-therapy  
8621. Local cooling therapy  
8622. General cooling therapy  
8771. Ocygen therapy  
8BAA. Pain relief  
8BC7. Glueing of wound  
8BC8. Applicatn adhesiv skin closure  
8C1L. Wound care  
8C1Q. Compression hosiery procedure  
81B% Evacuation by syringing

### **Dressing of Wound**

81H% Dressing of wound  
8B11. emergency dressing

### **Suturing of Wounds**

7G200 Primary suture skin hd/nck NEC  
7G201 Delayed 1st suture skin hd/nck  
7F202 Secondary suture skin hd/neck  
7G203 Resuture skin of head or neck

7G20y Suture skin head or neck OS  
7G20z Suture skin head or neck NOS  
7G210 Primary suture of skin NEC  
7G211 delayed 1st suture skin NEC  
7G212 Secondary suture of skin NEC  
7G213 Resuture of skin NEC  
7G214 Suture of skin NOS  
7G21y Suture skin or other site OS  
7G21z Suture skin of other site NOS

### **Removal of Sutures**

7G220 Removal skin clip head or neck  
7G221 Removal of clip from skin NEC  
7G222 Removal suture skin head neck  
7G223 Removal of suture skin NEC  
7G22y Rmvl oth spec repr mat frm skn  
7G22z Remov repair material skin NOS

---

## **Minor Surgery**

### **Patients with injections and invasive procedures in practice in last 12m**

9kC.. Minor Surgery - enh serv admin  
8HHS. Referral for minor surgery  
8LB.. Minor surgery planned  
9871. Minor surgery done + claimable  
9876. Minor surgery done - cautery  
9877. Minor surgery done - injection  
9878 Minor surgery done - aspiration  
9879. Minor surgery done - incision  
987A. Minor surgery done - excision  
987B. Minor surgery done - other  
9kC.. Minor surgery - enh serv admin  
987C. Minor surgery done

### **Minor Surgery Procedure**

7G301 Chemical destruction nailbed  
7G302 Destruction of nail bed NEC  
7G325 Partical excision of nail NEC  
7G324 Total excision of nail  
7Gy.. Skin operations OS  
7G052 Shave excis lesion skin hd/nk  
7G251 Drainage of lesion of skin NEC  
7G033 Excision lesion of skin NEC

7M0L0 Surg removal FB from organ NOC  
7Hy.. Soft tissue operations OS  
7G0C1 Biopsy of lesion of skin NEC  
7734. Excision of haemorrhoid  
7G245 Removal FB from skin NEC

### ***Minor Surgery Procedure complete***

987C. Minor surgery done

### ***Sutures***

7G20% Suture of skin - head and neck  
7G21% Suture of skin - other site

### ***Steroid Injection Site***

7K6Z5 Inject steroid shoulder jt  
7K6Z6 Inject steroid ankle joint  
7K6Z7 Inject steroid into knee joint  
7K6ZF Injection steroid wrist joint  
7K6ZH Injection of steroid into carpometacarpal joint of finger  
7K6ZG Injection of steroid into carpometacarpal joint of thumb  
7K6ZJ Injection of steroid into hip joint  
7G2A1 Injection of sterod into subcutaneous tissue  
7NA19 [SO]Lateral epicondyle humerus  
7NA15 [SO]Medial epicondyle humerus  
7K6Z3 Injection into joint NEC  
7L10C Inject steroid plantar fascia  
7L191 Inj steroid for local act NEC  
7H496 Ster injec med opicon tend hum

## **Patients with consent for injections and invasive procedures in last 12m**

8923. Consent given minor surg proc.

982 FP81 - Night visit claim

987 FP/CHS - minor surgery claim

## **Patients with consent within one day of injections and invasive procedures taking place in last 12m**

Patients with a minor surgery procedure code

and

8923. Consent given minor surg proc.

## **Histology sent**

### **Patients who had tissue/had NO tissue sent for histology in last 12m**

4K12. Specimen sent for histology

---

## **Near Patient Testing**

Number of patients on each drug prescribed in the last 12 months:

Auranofin

Azathioprine

Hydroxychloroquine

Leflunomide

Methotrexate

Myocrisin

Penicillamine

Sulfasalazine

---

# Osteoporosis

## Female patients between 60-70

### Female patients between 60-74 with a history of fragility fracture sustained after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis

### Female patients between 64-70 with a fragility fracture and confirmed diagnosis of osteoporosis

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis

and

N330 Osteoporosis

### Female patients between 60-74 with a fragility fracture after 01/11/2008 who has had a DEXA scan or has been referred for one

Fragility fracture after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis.

and one of the following:

58E% Dual energy X-ray photon absorptiometry

58F. Bone density scan

8HQ8. Refer for imaging

8HQA. Referral for DXA scan of hip and spine

8HQB. Referral for DXA scan of forearm

8HQC. Referral for DXA scan of heel

### Female patients between 60-74 with a fragility fracture who have been offered preventative treatment with bone-sparing drugs in last 12m

Fragility fracture after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis.

and one of the following:

BNF chapter 6.6

9kj0 Bone sparing drug treatment offered for osteoporosis - enhanced services administration

## **Female patients over 75**

### **Female patients over 75 with a history of fragility fracture sustained after 01/11/2008**

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis

### **Female patients over 75 with a fragility fracture with a confirmed diagnosis of osteoporosis**

N330 Osteoporosis

### **Female patients over 75 with a fragility fracture after 01/11/2008 who has had a DEXA scan or has been referred for one**

Fragility fracture after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis.

and one of the following:

58E% Dual energy X-ray photon absorptiometry

58F. Bone density scan

8HQ8. Refer for imaging

8HQA. Referral for DXA scan of hip and spine

8HQB. Referral for DXA scan of forearm

8HQC. Referral for DXA scan of heel

### **Female patients over 75 with a fragility fracture who have been offered preventative treatment with bone-sparing drugs in last 12m**

Fragility fracture after 01/11/2008

N331N Fragility Fracture

N331M Fragility fracture due to unspecified osteoporosis.

and one of the following:

BNF chapter 6.6

9kj0 Bone sparing drug treatment offered for osteoporosis - enhanced services administration