



Norfolk PCT - Near Patient Testing audit

Contents



| | |
|---|----------|
| NORFOLK PCT - NEAR PATIENT TESTING AUDIT | 1 |
| Downloading, importing and running the audit | 2 |
| Audit Criteria | 3 |
| Read codes used in the audit | 3 |
| Audit lines | 4 |
| Auranofin | 4 |
| Azathioprine | 6 |
| Ciclosporin | 7 |
| Leflunomide | 9 |
| Methotrexate | 11 |
| Penicillamine | 12 |
| Sodium aurothiomalate | 13 |
| Sulfasalazine | 14 |

Downloading, importing and running the audit

1. Go to the InPS website www.inps.co.uk then to Client Zone - Downloads - Audit - Norfolk PCT.
2. Select the audit you want and click once to expand it.
3. Click on  and select Open.
4. At the Winzip Self-Extractor screen, click on Unzip. The files are in self-extracting compressed zip format in order to save you downloading time. They are unzipped to O:\DOWNLOAD\audits.
5. In Vision - Clinical Audit, select File - Maintenance Mode.
6. Click on Import Searches from the Searches Menu and navigate to O:\DOWNLOAD\audit.
7. At the Import Searches screen, click on , swap to Details, then click on the Date Modified column header (you may need to do this twice) until the most recent date is at the top.
8. Click on the audit you want, click on Open and follow the prompts. If there is more than audit, you will need to import them individually.
9. The next screen asks you to confirm the audit you are importing. Check it is the correct audit, and click on Yes.
10. Click OK when you see the message: The statistics are out of date and should be regenerated.




If there are any inactivate reminders:

11. Point to a line where the reminder icon is pale yellow , and click with the right mouse, selecting Reminder. Check the Active box on the Reminder screen. Click on OK. The icon will now become bold yellow .

Next, you need to generate the new audit:

12. You will find that once audits have been imported, the Generate tab will again show in red, signifying that you can regenerate the monthly statistics.
13. Click on the Generate tab then on the Generate button (Continue generation for [month/year]). It will only run the newly imported audit, unless it is the end of the month and Generate is already triggered.



The version number and date of your audits may be later than in this screenshot

Audit Criteria

Read codes used in the audit

Blood pressure

- 246% O/E - blood pressure reading,
- Excluding:
 - 246O O/E - BP unrecordable
 - 246H. O/E - Arterial pressure index normal
 - 246I. O/E - Arterial pressure index abnormal
 - 246K. Target systolic blood pressure
 - 246L. Target diastolic blood pressure
 - 246M. White coat hypertension

FBC

- Searching Test SDA for:
 - 423. Haemoglobin estimation
 - 42H. Total white cell count
- Patient must have BOTH codes

LFT

- Searching Test SDA for:
 - 44M4 Serum albumin
 - 44G9 Serum gamma-glutamyl transferase level
 - 44G3 ALT/SGPT serum level
- Patient must have all three codes

Urinalysis

Searching Test SDA for:
461 Urine exam. - general

UE and Cr

Searching Test SDA for:
44J9 Serum urea level
44I5 Serum sodium
44J3 Serum creatinine
Patient must have ALL 3 codes

Audit lines

Version 1, 26/09/2008

The audits are written in "real time", and the data displayed by the audit will include all data up to and including data entered on the day the audit is run.

Total Practice Population
All active, registered patients

Auranofin

Patients taking auranofin in the last 3 months

Patients taking auranofin in the last 6 months

Patients taking auranofin for three months or less


FBC recorded in the 2 weeks
Patients taking auranofin in the last 3 months
With a record of FBC in the last 2 weeks

FBC NOT recorded in the 2 weeks
Patients taking auranofin in the last 3 months
With NO record of FBC in the last 2 weeks

 Reminder: On auranofin - no FBC in last 2 weeks

Urinalysis recorded in the last 2 weeks
Patients taking auranofin in the last 3 months
With a record of urinalysis in the last 2 weeks

Urinalysis NOT recorded in the last 2 weeks
Patients taking auranofin in the last 3 months
With NO record of urinalysis in the last 2 weeks

 Reminder: On auranofin - no urinalysis recorded in last 2 weeks

Patients taking auranofin for more than three months


FBC recorded in the last 1 month
Patients taking auranofin for more than 3 months
With a record of FBC in the last 1 month

FBC NOT recorded in the 1 month
Patients taking auranofin for more than 3 months
With NO record of FBC in the last 1 month

 Reminder: On auranofin - no FBC in last month

Urinalysis recorded in the last 1 month
Patients taking auranofin for more than 3 months
With a record of urinalysis in the last 1 month

Urinalysis NOT recorded in the last 1 month
Patients taking auranofin for more than 3 months
With NO record of urinalysis in the last 1 month

 Reminder: On auranofin - no urinalysis recorded in last 1 month

Azathioprine

Patients taking Azathioprine in last 3 months

Patients taking Azathioprine in last 6 months

FBC recorded in the last 1 month

Patients taking Azathioprine for 6 months or less

With a record of FBC in the last month

FBC NOT recorded in the last 1 month

Patients taking Azathioprine for 6 months or less

With NO record of FBC in the last month

 Reminder: On Azathioprine - no FBC in last 1 month

LFT recorded in the last 1 month

Patients taking Azathioprine for 6 months or less

With a record of liver function tests in the last month

LFT NOT recorded in the last 1 month

Patients taking Azathioprine for 6 months or less

With NO record of LFT in the last month

 Reminder: On Azathioprine - no LFT in last 1 month

Ciclosporin

Patients taking Ciclosporin in the last 3 months

Patients taking Ciclosporin in the last 6 months

Patients taking ciclosporin for up to 3 months

FBC recorded in last 2 weeks

Patients taking Ciclosporin for up to 3 months.

With a record of FBC in the last 2 weeks

FBC NOT recorded in last 2 weeks

Patients taking Ciclosporin for up to 3 months.

With NO record of FBC in the last 2 weeks:



Reminder: On Ciclosporin - no FBC in last 2 weeks

Urinalysis recorded in the last 2 weeks

Patients taking Ciclosporin for up to 3 months.

With a record of urinalysis in the last 2 weeks

Urinalysis NOT recorded in the last 2 weeks

Patients taking Ciclosporin for up to 3 months.

With NO record of urinalysis in the last 2 weeks



Reminder: On Ciclosporin - no urinalysis in last 2 weeks

BP recorded in last 2 weeks

Patients taking Ciclosporin for up to 3 months

With BP recorded in last 2 weeks

BP NOT recorded in last 2 weeks

Patients taking Ciclosporin for up to 3 months

With BP NOT recorded in last 2 weeks



Reminder: On Ciclosporin - no BP in last 2 weeks

UE&Cr recorded in last 2 weeks


Patients taking Ciclosporin for up to 3 months.

With a record of urea & electrolytes and creatinine in the last 2 weeks

UE&Cr NOT recorded in last 2 weeks

Patients taking Ciclosporin for up to 3 months

With NO record of U&E or creatinine in the last 2 weeks

 Reminder: On Ciclosporin - no U&E or Cr in last 2 weeks

Patients taking ciclosporin for more than 3 months

FBC recorded in last month

Patients taking Ciclosporin for more than 3 months.

With a record of FBC in the last month

FBC NOT recorded in last month

Patients taking Ciclosporin for more than 3 months.

With NO record of FBC in the last month:

 Reminder: On Ciclosporin - no FBC in last 1 month

Urinalysis recorded in the last 1 month


Patients taking Ciclosporin for more than 3 months.

With a record of urinalysis in the last 1 month

Urinalysis NOT recorded in the last 1 month

Patients taking Ciclosporin for more than 3 months.

With NO record of urinalysis in the last 1 month

 Reminder: On Ciclosporin - no urinalysis in last 1 month

BP recorded in last month

Patients taking Ciclosporin for more than 3 months

With BP recorded in last month

BP NOT recorded in last month


Patients taking Ciclosporin for more than 3 months

With BP NOT recorded in last month

 Reminder: On Ciclosporin - no BP in last 1 month

UE&Cr recorded in last 1 month
Patients taking Ciclosporin for more than 3 months.
With a record of urea & electrolytes and creatinine in the last month

UE&Cr NOT recorded in last 1 month
Patients taking Ciclosporin for more than 3 months
With NO record of U&E or creatinine in the last month

 Reminder: On Ciclosporin - no U&E or Cr in last 1 month

Leflunomide

Patients taking leflunomide in last 3 months

Patients taking leflunomide in last 6 months

Patients taking leflunomide for 6 months or less

BP recorded in last month
Patients taking leflunomide in last 6 months
With BP recorded in last month

BP NOT recorded in last month
Patients taking leflunomide in last 6 months
With BP NOT recorded in last month

 Reminder: On leflunomide - no BP in last 1 month


FBC recorded in the last 2 weeks
Patients taking leflunomide for 6 months or less
With a record of FBC in the last 2 weeks

FBC NOT recorded in the last 2 weeks
Patients taking leflunomide for 6 months or less
With NO record of FBC in the last 2 weeks

 Reminder: On leflunomide - no FBC in last 2 weeks

LFT recorded in the last 2 weeks
Patients taking leflunomide for 6 months or less
With a record of liver function tests in the last 2 weeks

LFT NOT recorded in the last 2 weeks
Patients taking leflunomide for 6 months or less
With NO record of LFT in the last 2 weeks

 Reminder: On leflunomide - no LFT in last 2 weeks

Patients taking leflunomide for >6 months

Patients taking leflunomide for more than 6 months

BP recorded in last 2 months
Patients taking leflunomide for more than 6 months
With BP recorded in last 2 months

BP NOT recorded in last 2 months
Patients taking leflunomide for more than 6 months
With BP NOT recorded in last 2 months

 Reminder: On leflunomide - no BP in last 1 month


FBC recorded in the last 2 months
Patients taking leflunomide for more than 6 months
With a record of FBC in the last 2 months

FBC NOT recorded in the last 2 months
Patients taking leflunomide for more than 6 months
With NO record of FBC in the last 2 months:

 Reminder: On leflunomide - no FBC in last 2 months

LFT recorded in the last 2 months
Patients taking leflunomide for more than 6 months
With a record of liver function tests in the last 2 months

LFT NOT recorded in the last 2 months
Patients taking leflunomide for more than 6 months
With NO record of LFT in the last 2 months

 Reminder: On leflunomide - no LFT recorded in last 2 months

Methotrexate

Patients taking Methotrexate in the last 3 months

Patients taking Methotrexate in the last 6 months

FBC recorded in last month

Patients taking Methotrexate in last 6 months.

With a record of FBC in the last month

FBC NOT recorded in last month

Patients taking Methotrexate in last 6 months.

With NO record of FBC in the last month



Reminder: On Methotrexate - no FBC in last 1 month

LFT recorded in last 3 months

Patients taking Methotrexate in last 6 months.

With a record of liver function tests in the last 3 months

LFT NOT recorded in last 3 months

Patients taking Methotrexate in last 6 months.

With NO record of LFT in the last 3 months



Reminder: On Methotrexate - no LFT in last 3 months

UE&Cr recorded in last 6 months

Patients taking Methotrexate in last 6 months.

With a record of urea & electrolytes and creatinine in the last 6 months

UE&Cr NOT recorded in last 6 months

Patients taking Methotrexate in last 6 months.

With NO record of U&E or creatinine in the last 6 months



Reminder: On Methotrexate - no U&E or Cr in last 6 months

Penicillamine

Patients taking penicillamine in the last 3 months

Patients taking penicillamine in the last 6 months

Patient taking penicillamine for 2 months or less

FBC recorded in last 2 weeks

Patients taking penicillamine for 2 months or less

With a record of FBC in the last 2 weeks

FBC NOT recorded in last 2 weeks

Patients taking penicillamine for 2 months or less.

With NO record of FBC in the last 2 weeks

 Reminder: On penicillamine - no FBC in last 2 weeks

Urinalysis recorded in the last 2 weeks

Patients taking penicillamine for 2 months or less

With a record of urinalysis in the last 2 weeks

Urinalysis NOT recorded in the last 2 weeks

Patients taking penicillamine for 2 months or less

With NO record of urinalysis in the last 2 weeks

 Reminder: On penicillamine - urinalysis not recorded in last 2 weeks

Patient taking penicillamine for more than 2 months

FBC recorded in last month


Patients taking penicillamine for more than 2 months

With a record of FBC in the last month

FBC NOT recorded in last 1 month

Patients taking penicillamine for more than 2 months

With NO record of FBC in the last month

 Reminder: On penicillamine - no FBC in last 1 month

Urinalysis recorded in the last 1 month


Patients taking penicillamine for more than 2 months

With a record of urinalysis in the last month

Urinalysis NOT recorded in the last 1 month

Patients taking penicillamine for more than 2 months

With NO record of urinalysis in the last month

 Reminder: On penicillamine - No urinalysis recorded in last 1 month

Sodium aurothiomalate

Patients taking Sodium aurothiomalate in the last 3 months

Patients taking Sodium aurothiomalate in the last 6 months

FBC recorded in last 6 months

Patients taking Sodium aurothiomalate last 6 months

FBC recorded in last 6 months

FBC recorded on same day as injection


Patients taking Sodium aurothiomalate last 6 months

FBC recorded on same day as injection

FBC NOT recorded on same day as injection

Patients taking Sodium aurothiomalate last 6 months

FBC NOT recorded on same day as injection

 Reminder: On Sodium aurothiomalate - no FBC recorded on same day as injection

Urinalysis recorded in last 6 months

Patients taking Sodium aurothiomalate last 6 months

Urinalysis recorded in last 6 months

Urinalysis recorded on same day as injection


Patients taking Sodium aurothiomalate last 6 months

Urinalysis recorded on same day as injection

Urinalysis NOT recorded on same day as injection

Patients taking Sodium aurothiomalate last 6 months

Urinalysis NOT recorded on same day as injection

 Reminder: On Sodium aurothiomalate - no urinalysis recorded on same day as injection

Sulfasalazine

Patients taking sulfasalazine in the last 3 months

Patients taking sulfasalazine in the last 6 months

Patients taking sulfasalazine for 6 months or less

FBC recorded in the last 1 month

Patients taking sulfasalazine for 6 months or less

With a record of FBC in the last month

FBC NOT recorded in the last 1 month

Patients taking sulfasalazine for 6 months or less

With NO record of FBC in the last month

 Reminder: On sulfasalazine - no FBC in last 1 month

LFT recorded in the last 1 month

Patients taking sulfasalazine for 6 months or less

With a record of liver function tests in the last month

LFT NOT recorded in the last 1 month

Patients taking sulfasalazine for 6 months or less

With NO record of LFT in the last month

 Reminder: On sulfasalazine - no LFT in last 1 month

Patients taking sulfasalazine for >6 months

Patients taking sulfasalazine for more than 6 months

FBC recorded in the last 3 months

Patients taking sulfasalazine for more than 6 months

With a record of FBC in the last 3 months

FBC NOT recorded in the last 3 months


Patients taking sulfasalazine for more than 6 months

With NO record of FBC in the last 3 months

 Reminder: On sulfasalazine - no FBC in last 3 months

LFT recorded in the last 3 months
Patients taking sulfasalazine for more than 6 months
With a record of liver function tests in the last 3 months

LFT NOT recorded in the last 3 months
Patients taking sulfasalazine for more than 6 months
With NO record of LFT in the last 3 months

 Reminder: On sulfasalazine - no LFT recorded in last 3 months